# City of Missoula

# Public Safety and Health Committee Agenda

Date: October 16, 2019, 10:30 AM - 10:40 AM

Location: City Council Chambers

140 W. Pine Street, Missoula, MT

Members: Stacie Anderson, Julie Armstrong, Mirtha Becerra, Michelle Cares, John DiBari, Heather Harp,

Jordan Hess, Gwen Jones, Julie Merritt, Jesse Ramos, Bryan von Lossberg, Heidi West

If anyone attending this meeting needs special assistance, please provide 48 hours advance notice by calling the Clty Clerk Office at 406-552-6079.

Pages

### 1. ADMINISTRATIVE BUSINESS

1.1 Roll Call

1.2 Approval of the Minutes

1

#### 2. PUBLIC COMMENT ON ITEMS NOT ON THE AGENDA

#### 3. COMMITTEE BUSINESS

3.1 Referral-Purchase one Type 1 and one Type 2 Fire Engines

**Brad Davis** 

3

### Recommended motion:

Authorize the Mayor to sign a contract with Hughes Fire Equpment in the amount of \$889,459.00 total for the purchase of one Type 1 and 1 Type 2 fire engines.

#### 4. ADJOURNMENT

### Missoula City Council Public Safety and Health Committee Minutes

# September 25, 2019 8:15 AM City Council Chambers 140 W. Pine Street, Missoula , MT

Members present: Michelle Cares, John DiBari, Heather Harp, Jordan Hess, Gwen Jones,

Julie Merritt, Jesse Ramos, Bryan von Lossberg, Heidi West

Members absent: Stacie Anderson, Julie Armstrong, Mirtha Becerra

#### 1. ADMINISTRATIVE BUSINESS

1.1 Roll Call

#### 1.2 Approval of the Minutes

The minutes were approved as submitted.

#### 2. PUBLIC COMMENT ON ITEMS NOT ON THE AGENDA

None

#### 3. COMMITTEE BUSINESS

#### 3.1 Police Officer Confirmation

Police Cief Mike Brady broought forward the confirmation of Officers Casey Harvey, Sean McLean, Tyler Woods and Kyle Ferris. They have all completed their first year of employment, the academy, the field training program and have been working well in their new jbos and are a great asset to the department.

Moved by: Jordan Hess

Confirm Officers Casey Harvey, Sean McLean, Tyler Woods and Kyle Ferris

AYES: (9): Michelle Cares, John DiBari, Heather Harp, Jordan Hess, Gwen Jones, Julie Merritt, Jesse Ramos, Bryan von Lossberg, and Heidi West

ABSENT: (3): Stacie Anderson, Julie Armstrong, and Mirtha Becerra

Vote results: Approved (9 to 0)

# 3.2 Fire Department Vehicle Purchase

Assistant Fire Chief Brad Davis asked the City Council to authorize the Missoula Fire Department to purchase one 2020 F250 crew cab pickup from Bison Motors of Great Falls, MT. The truck is for the new FTE Assisant Mechanic. They have \$40,000.00 approved in the core replacement for this purchase. He is asking to tag on to the state bid to purchase a pickup from Bison Motors.

Moved by: Jesse Ramos

authorize the Missoula Fire Department to purchase one 2020 F250 crew cab pickup from Bison Motors of Great Falls, MT.

AYES: (9): Michelle Cares, John DiBari, Heather Harp, Jordan Hess, Gwen Jones, Julie Merritt, Jesse Ramos, Bryan von Lossberg, and Heidi West

ABSENT: (3): Stacie Anderson, Julie Armstrong, and Mirtha Becerra

Vote results: Approved (9 to 0)

# 4. ADJOURNMENT

Adjourned



# City of Missoula, Montana Item to be Referred to City Council Committee

Committee:	Public Safety and Healt	h
Item:	Referral-Purchase one	Type 1 and one Type 2 Fire Engines
Date:	October 3, 2019	
Sponsor(s):	Brad Davis	
Prepared by:	Cathy Janney	
Ward(s) Affected:		
	□ Ward 1 □	Ward 4
	□ Ward 2 □	Ward 5
	□ Ward 3 □	
	⊠ All Wards □	I N/A
Action Required: Authorize the purchase	of one Type 1 and one Ty	pe 2 fire engines from Hughes Fire Equipment.

# Recommended Motion(s):

I move the City Council: Authorize the Mayor to sign a contract with Hughes Fire Equipment in the amount of \$889,459.00 total for the purchase of one Type 1 and one Type 2 fire engines.

#### Timeline:

Referral to committee: October 3, 2019 Committee discussion: October 16, 2019

Council action (or sets hearing): NA Public Hearing: NA

Deadline: November 1, 2019

# **Background and Alternatives Explored:**

Competitive bids were solicited through Fire Rescue GPO. The Type 1 engine will replace the Type 1 2002 Pierce Saber.

The Type 2 engine will replace the Type 2 2000 Smeal.

Financial Implications: \$540,956.00-Type 1

\$348,503.00-Type 2 \$889,459.00-TOTAL

Links to external websites:





October 9, 2019

Missoula Fire Department, MT One (1) Impel PUC Pumper AS754 Build Location: Appleton, WI

Proposal Price	568,213.00
Less chassis progress payment discount The chassis progress payment in the amount of \$319,190.00 will be due three (3) months prior to the ready for pick up from the factory date.	(9,576.00)
Less payment upon completion @ factory discount	(5,129.00)
* Deduct for 100% pre-payment with contract If this option is elected, the discount is in addition to the chassis progress payment discount and the payment upon completion at the factory discount.	(6,522.00)
Subtotal including all pre-pay discounts	546,986.00
Less customer drive-out discount  If this option is elected payment in full and proof of insurance must be provided prior to leaving the factory and the customer is responsible for compliance with all state, local and federal DOT requirements including the driver possessing a valid CDL license.	(4,500.00)
Less performance bond	(1,530.00)
Proposal price including discounts	540,956.00

#### Terms:

Based on Pierce's current delivery schedule the unit would be ready for delivery from factory within 7 to 10 months after contract execution. Delivery is subject to change pending Pierce's delivery schedule at time of order.

The above pricing is valid until Januarry 31, 2020. If order is not submitted prior to that date, a 3% price increase will be required.

The above quote is subject to change.

An invoice will be provided 30 days prior to the chassis payment due date if elected.

If payment discount options are not elected standard payment terms will apply: Final payment will be due 30 days after the unit leaves the factory for delivery. If payment is not made at that time a late fee will be applicable.

An invoice will be provided upon order processing for the 100% prepayment if elected.

The Purchasing Documents will be between Hughes Fire Equipment and the customer.

The proposal price is based on the unit being purchased through FireRescue GPO / NPPGov. This pricing is only valid for a FireRescue GPO / NPPGov purchase on PPA MPA for RFP No. 1420. Member ID# M-5700712

Transportation of the unit to be driven from the factory is included in the pricing. However, if we are unable to obtain necessary permits, due to the weight of the unit, and the unit must be transported on a flat bed, additional transportation charges will be the responsibility of the purchaser. We will provide pricing at that time if necessary.

One (1) factory inspection trip for two (2) fire department customer representatives and one (1) factory inspection trip for four (4) fire department customer representatives is included in the above pricing. The inspection trips will be scheduled at times mutually agreed upon between the manufacture's representative and the customer. Airfare, lodging and meals while at the factory are included. If the Department elects to forgo an inspection trip \$1,850.00 per traveler (per trip) will be deducted from the final invoice.

754

09/06/2019



# **Proposal Option List**

**Bid Date:** 

Customer: Missoula Fire Department Bid Number:

Representative Siebers, Andrew Job Number:

Organization: Hughes Fire Equipment, Inc Number of Units:

Requirements Manager:

Description:Missoula Impel PUC Pumper 2019Stock Number:Body:Pumper, PUC, AluminumPrice Level:38 (Current: 38)

Chassis: Impel Chassis, PUC, 2010

1 0766589   Boiler Plates, PUC Pumper   Fire Department/Customer - Missoula Fire Department Operating/in conjunction W- Service Center - In Conjunction Miles - 25 Miles   Number of Fire Dept/Municipalities - 10   Bidder/Sales Organization - Pierce Manufacturing   Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization, Service - Hughes Fire Equipment   3 0584456   Manufacture Location, Appleton, Wisconsin   4 0584452   RFP Location: Appleton, Wisconsin   5 0586809   Vehicle Destination, US   Vehicle Destination, US   Office   Offi	Line Option	Туре	Option Description	Qty
Fire Department/Customer - Missoula Fire Department Operating/In conjunction W-Service Center - In Conjunction Miles - 25 Miles	1 0766589		Boiler Plates, PUC Pumper	1
Operating/In conjunction W. Service Center - In Conjunction   Miles - 25 Miles   Number of Fire Dept/Municipalities - 10   Bidder/Sales Organization - Pietrce Manufacturing   Delivery - A qualified delivery representative shall deliver the apparatus.   Dealership/Sales Organization, Service - Hughes Fire Equipment   3 0584456			·	
Number of Fire Dept/Municipalities - 10				
Bidder/Sales Organization - Pierce Manufacturing   Delivery - A qualified delivery representative shall deliver the apparatus.   Dealership/Sales Organization, Service - Hughes Fire Equipment			Miles - 25 Miles	
Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization, Service - Hughes Fire Equipment 3 0584456				
Dealership/Sales Organization, Service - Hughes Fire Equipment  3 0584456				
2 0661794 Single Source Compilance 3 0584456 Manufacture Location, Appleton, Wisconsin 4 0584452 RFP Location: Appleton, Wisconsin 5 0588609 Vehicle Destination, US 6 0670275 Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - truck 30716 7 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s) Qity, - 02 Fill in Blank - two (2) Customer Service Website 13 0620361 Consortium, GPO 14 0537375 Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested 17 0000007 Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 Wheelbase 19 0000010 Wheelbase  Wheelbase - 193.00" GVW Rating GWW rating - 46,500# 22 0000203 Frame Rails, 13.38 v.3.50 v. 375, Qtm/AXT/Imp/Vel/DCF 17 0000070 GVW Rating 24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Oil Seals, Front Axle 28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply 29 0655339 Wheels, Front, Accuride, 22.50" v.9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544256 Tires, Rear, Goodyear, G822 RSD, 12R22.50, 10 ply 30 0530465 Axle, Rear, Ameritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 31 0544256 Tires, Rear, Goodyear, G822 RSD, 12R22.50, 16 ply, Single 31 0568081 Tire Balancing, Counteract Beads 31 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Oty, Tire Pressure Monitoring, Real				
3 0584456 4 0584452 RFP Location: Appleton, Wisconsin 5 05888609 Vehicle Destination, US 6 0670275 Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - truck 30716 7 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. Inspection Trip(s) Qty, - 02 Fill in Blank - two (2) 12 0536644 Customer Service Website Consortium, GPO Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 Wheelbase Wheelbase - 193.00" GVW Rating GV	0.0004704			4
4 0584452 RFP_Location: Appleton, Wisconsin 5 0588609 Vehicle Destination, US 6 0670275 Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - truck 30716 7 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s) Qty, - 02 Fill in Blank - two (2) 12 0536644 Customer Service Website 13 0620361 Consortium, GPO 14 0537375 Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested 17 0000007 Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 Wheelbase Wheelbase - 193.00" 21 0000070 GVW Rating GVW rating - 46,500# 22 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 17 30020018 Frame Liner Not Req'd 24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply 29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 31 0544265 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 31 0568081 Tire Balancing, Counteract Beads 37 0620570 Tiressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle CRY, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle CRY, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle CRY, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle CRY, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle CRY, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle C			·	1
5 0588609         Vehicle Destination, US           6 0670275         Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - truck 30716           7 0610784         Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions           8 0533347         Pumper/Pumper with Aerial Device Fire Apparatus           9 0588611         Vehicle Certification, Pumper           10 0661778         Agency, Apparatus Certification, Pumper/Tanker, U.L.           11 0000114         Inspection Trip(s)           Qty, • 02         Fill in Blank - two (2)           2 0536644         Customer Service Website           13 0620361         Consortium, GPO           14 0537375         Unit of Measure, US Gallons           15 0529326         Bid Bond, 10%, Pierce Built Chassis           16 0540326         Performance Bond, Not Requested           17 0000007         Approval Drawing           18 0002928         Electrical Diagrams           19 0597573         Impel Chassis, PUC, 2010           20 0000110         Wheelbase - 193.00"           21 0000070         GVW Rating           22 0000203         Frame Rails, 13.38 x 3.50 x .375, Qtrm/AXT/Imp/Vel/DCF           23 002018         Frame Liner Not Req'd           24 0508884         Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel/Dash CF/En				1
6 0670275 Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - truck 30716 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s)			• •	1
Fill in Blank - truck 30716 7 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Unper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s)			,	1
7 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s)	6 0670275			1
8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0588611 Vehicle Certification, Pumper 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s)	7 0040704			4
9 0588611 10 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 11 0000114 Inspection Trip(s) Qty, - 02 Fill in Blank - two (2) Fill Chapter Built Chapter Fill Chap				1
10 0661778				1
11 0000114			•	1
Cty, - 02			* * * * * * * * * * * * * * * * * * * *	1
Fill in Blank - two (2)  12 0536644 Customer Service Website 13 0620361 Consortium, GPO 14 0537375 Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested 17 0000007 Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 20 0000110 Wheelbase  Wheelbase - 193.00" 21 0000070 GVW Rating  GVW Rating  GVW rating - 46,500# 22 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 23 0020018 Frame Liner Not Req'd 24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Oil Seals, Front Axle 28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply 29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 36 0568081 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Oty, Tire Pressure Ind - 6	11 0000114		• • • • • •	2
12 0536644				
13 0620361 Consortium, GPO 14 0537375 Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested 17 0000007 Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 Wheelbase  Wheelbase - 193.00"  21 0000010 Wheelbase  Wheelbase - 193.00"  GVW Rating  GVW rating - 46,500# Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF  3 0020018 Frame Liner Not Req'd 24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Oil Seals, Front Axle 28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply 29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 36 0568081 Tire Pressure Ind - 6	12 0526644		` '	1
14 0537375 Unit of Measure, US Gallons 15 0529326 Bid Bond, 10%, Pierce Built Chassis 16 0540326 Performance Bond, Not Requested 17 0000007 Approval Drawing 18 0002928 Electrical Diagrams 19 0597573 Impel Chassis, PUC, 2010 20 0000110 Wheelbase  Wheelbase - 193.00" 21 0000070 GVW Rating  GVW rating - 46,500# 22 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 23 0020018 Frame Liner Not Req'd 24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Oil Seals, Front Axle 28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply 29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 31 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle				1
15 0529326         Bid Bond, 10%, Pierce Built Chassis           16 0540326         Performance Bond, Not Requested           17 000007         Approval Drawing           18 0002928         Electrical Diagrams           19 0597573         Impel Chassis, PUC, 2010           20 0000110         Wheelbase           Wheelbase - 193.00"           21 0000070         GVW Rating - 46,500#           22 0000203         Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF           23 0020018         Frame Liner Not Req'd           24 0508848         Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel           25 0030264         Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf           26 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf           27 0000322         Oil Seals, Front Axle           28 0582936         Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply           29 0655339         Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire           30 0530465         Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF           31 0544253         Top Speed of Vehicle, 68 MPH           32 0122075         Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF           33 0000485         Oil Seals, Rear Axle           34 0587216 </td <td></td> <td></td> <td></td> <td>1</td>				1
16 0540326         Performance Bond, Not Requested           17 0000007         Approval Drawing           18 0002928         Electrical Diagrams           19 0597573         Impel Chassis, PUC, 2010           20 0000110         Wheelbase           Wheelbase - 193.00"           21 0000070         GVW Rating           GVW rating - 46,500#           22 0000203         Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF           23 0020018         Frame Liner Not Req'd           24 0508848         Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/VeI           25 0030264         Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/VeI/Dash CF/Enf           26 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf           27 0000322         Oil Seals, Front Axle           28 0582936         Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply           29 0655339         Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire           30 0530465         Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/VeI/Dash CF           31 0544253         Top Speed of Vehicle, 68 MPH           32 0122075         Suspen, Rear, Standens, Spring, 27,000 lb, Imp/VeI/Dash CF           33 0000485         Oil Seals, Rear Axle           34 0587216         Tires, Rear, Goodyear, G				1
17 0000007         Approval Drawing           18 0002928         Electrical Diagrams           19 0597573         Impel Chassis, PUC, 2010           20 0000110         Wheelbase           Wheelbase - 193.00"           21 0000070         GVW Rating           GVW rating - 46,500#           22 0000203         Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF           23 0020018         Frame Liner Not Req'd           24 0508848         Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/VeI           25 0030264         Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/VeI/Dash CF/Enf           26 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf           27 0000322         Oil Seals, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply           28 0582936         Tires, Front, Goodyear, G228 WHA, 315/80R22.50, 20 ply           29 0655339         Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire           30 0530465         Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/VeI/Dash CF           31 0544253         Top Speed of Vehicle, 68 MPH           32 0122075         Suspen, Rear, Standens, Spring, 27,000 lb, Imp/VeI/Dash CF           33 0000485         Oil Seals, Rear Axle           34 0587216         Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single				1
Electrical Diagrams			•	1
Impel Chassis, PUC, 2010   Wheelbase			• • • • • • • • • • • • • • • • • • • •	1
Wheelbase				1
## Wheelbase - 193.00"  GVW Rating  GVW rating - 46,500#  22 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF  23 0020018 Frame Liner Not Req'd  24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/VeI  25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/VeI/Dash CF/Enf  26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf  27 0000322 Oil Seals, Front Axle  28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply  29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire  30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/VeI/Dash CF  31 0544253 Top Speed of Vehicle, 68 MPH  32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/VeI/Dash CF  33 0000485 Oil Seals, Rear Axle  34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single  35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single  36 0568081 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6			·	1
21 0000070	20 0000110			1
GVW rating - 46,500#  22 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF  23 0020018 Frame Liner Not Req'd  24 0508848 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel  25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf  26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf  27 0000322 Oil Seals, Front Axle  28 0582936 Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply  29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire  30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF  31 0544253 Top Speed of Vehicle, 68 MPH  32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF  33 0000485 Oil Seals, Rear Axle  34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single  35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single  36 0568081 Tire Balancing, Counteract Beads  37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6	24 0000070			4
22 0000203       Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF         23 0020018       Frame Liner Not Req'd         24 0508848       Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel         25 0030264       Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf         26 0087572       Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf         27 0000322       Oil Seals, Front Axle         28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6	21 0000070		· ·	1
23 0020018         Frame Liner Not Req'd           24 0508848         Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel           25 0030264         Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf           26 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf           27 0000322         Oil Seals, Front Axle           28 0582936         Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply           29 0655339         Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire           30 0530465         Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF           31 0544253         Top Speed of Vehicle, 68 MPH           32 0122075         Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF           33 0000485         Oil Seals, Rear Axle           34 0587216         Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single           35 0654806         Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single           36 0568081         Tire Balancing, Counteract Beads           37 0620570         Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle           Qty, Tire Pressure Ind - 6	22 0000203			1
24 0508848       Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel         25 0030264       Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf         26 0087572       Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf         27 0000322       Oil Seals, Front Axle         28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6			·	1
25 0030264       Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf         26 0087572       Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf         27 0000322       Oil Seals, Front Axle         28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6			·	1 1
26 0087572       Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf         27 0000322       Oil Seals, Front Axle         28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/VeI/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/VeI/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6			·	_
27 0000322       Oil Seals, Front Axle         28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6			·	1
28 0582936       Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply         29 0655339       Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire         30 0530465       Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF         31 0544253       Top Speed of Vehicle, 68 MPH         32 0122075       Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF         33 0000485       Oil Seals, Rear Axle         34 0587216       Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single         35 0654806       Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single         36 0568081       Tire Balancing, Counteract Beads         37 0620570       Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle         Qty, Tire Pressure Ind - 6			·	1
29 0655339 Wheels, Front, Accuride, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire 30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6				1
30 0530465 Axle, Rear, Meritor RS25-160, 27,000 lb, Imp/Vel/Dash CF 31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6				1
31 0544253 Top Speed of Vehicle, 68 MPH 32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6				1
32 0122075 Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF 33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6				1
33 0000485 Oil Seals, Rear Axle 34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6			· ·	1
34 0587216 Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single 35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6				1
35 0654806 Wheels, Rear, Accuride, 22.50" x 8.25", Steel, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6				1
36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6				1
37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle  Qty, Tire Pressure Ind - 6				1
Qty, Tire Pressure Ind - 6			-	1
	37 0620570			1
SO UUUZU <del>4</del> S IVIUU FIADS. W/IUQU ITONI & TEAT	20 0000045			4
	30 UUU2U45		widu riaps, whogo from a real	1 ————————————————————————————————————

Page 5 of 26

	Option	Туре	Option Description	Qty
39	0760675		Chains, Onspot, Automatic Tire, Custom	1
40	0602478		Chocks, Wheel, Pumper, NFPA, Provided by Fire Department, NFPA 2016	1
41	0544690		Mounting Brackets, Chocks, Provided by Fire Department	1
42	0010671		ABS/ATC Wabco Brake System, Single Rear Axle	1
	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
44	0509206		Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle	1
	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
	0000785		Brake Reservoirs, Three	1
	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
	0000790		Brake Lines, Nylon	1
	0000755		Air Inlet, w/Disconnect Coupling	1
10	0000001		Location, Air Coupling(s) - a) DS Step Well, Forward  Qty, Air Coupling (s) - 1	
50	0795323		Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2017, REPTO, Imp/Vel	1
	0001244		High Idle w/Electronic Engine, Custom	1
52	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
-			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	·
53	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
	0123135		Air Intake, w/Ember separator, Imp/Vel	1
	0794761		Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side	1
	0787999		Radiator, Impel/Velocity	1
	0616439		Cooling Hoses, Gates Silicone	1
	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
	0001129		Lines, Fuel	1
	0692516		DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Door, Spring Flip Door	1
00	0032310			ı
61	0552793		Door, Material & Finish, DEF Tank - Polished Stainless Not Required, Fuel Priming Pump	1
	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
	0699437		Cooler, Chassis Fuel, Not Req'd.	1
	0690880		No Selection Required From This Category	1
	0642572		Trans, Allison 5th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf	1
	0625329		Transmission, Shifter, 5-Spd, Push Button, 3000 EVS	1
	0517604		Transmission Programming, Park to Neutral, PUC	1
	0684459		Transmission Oil Cooler, Modine, External	1
	0001370		Driveline, Spicer 1710	1
	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
	0509229		Steering Wheel, 2 Spoke	1
73	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - MISSOULA	
			Text, Row (2) Two - FIRE	
71	0123624		Text, Row (3) Three - DEPARTMENT Bumper, 16" Extended, Imp/Vel	1
	0616508		Tray, Hose, Center, 16" Bumper, Outside Air Horns, Imp/Vel	1
75	0010308			'
			Grating, Bumper extension - Grating, Rubber	
76	0633479		Capacity, Bumper Tray - 19) 100' of 1.75" Hose Restraint, Bumper Tray, Velcro Straps, Pair	1
70	0000170		Qty, Pair - 01	
77	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
	0522573		Tow Hooks Not Required, Due to Lift and Tow Package	1
	0689308		Notch, Front For Recessing Of Q2B, Stainless Bumper	1
70	0000000		Location - passenger side	
80	0668316		Cab, Impel FR, 7010 Raised Roof, PUC	1
	0668309		Engine Tunnel, ISL and DD13, Impel/Velocity FR	1
	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
	0631566			2
00	0001000		Scuffplates, S/S At Cab Door Jambs, Quantity	2
			Location - front doors only	
			Qty, - 02 Material Trim/Scuffplate - c) S/S, Polished	
			iviateriai Trimi/Ocumpiate - 6/ 3/3, Fullshed	

10/10/2019 7:10 PM Bid #: 754 Page 6

Line Option	Туре	Option Description	Qty
86 0527034		Trim, S/S Band, Across Cab Face, Rect Lights, Impel	1
		Material Trim/Scuffplate - b) S/S, Brushed	
07 0007057		Turnsignal Covers - No Covers	
87 0087357		Molding, Chrome on Side of Cab	1
88 0521669		Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
89 0667942		Door, Half-Height, Impel FR 4-Door Cab, Raised Roof	1
90 0655511		Key Model, Cab Doors - 1041 Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
91 0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
92 0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
93 0555485		Steps, 4-Door Full Tilt Cab, Imp/Vel	1
94 0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
95 0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step	1
96 0002140		Fenders, S/S on Cab	1
97 0586564		Window, Side of C/C, Fixed, w/EMS Cabinet, Imp/Vel	1
98 0553144		Trim, Cab Side Windows, Impel	1
99 0012090		Not Required, Windows, Front/Side of raised roof	1
100 0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
101 0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
102 0664452		Bracket, Air Bottle, Zico, ULLH, Load & Lock	1
		Location - driver side crew cab rear wall outboard, down low, reachable from the ground if possible	
		Qty, - 01	
103 0748680		Cab Interior, Vinyl, Painted Walls, Imp/Vel FR, CARE	1
		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
		Cab Interior Rear Wall Material - Painted Aluminum	
104 0667943		Cab Interior, Paint Color, Impel/Velocity FR	1
		Color, Cab Interior Paint - a) gray	
105 0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
106 0667936		Heater/defroster, Dual Zone Control, Impel/Velocity FR	1
107 0603347		Air Conditioning, Dual Zone Control, Impel/Velocity FR	1
		Paint Color, A/C Condenser - Painted by OEM	
108 0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
400 0540470		Sun Visor Retention - No Retention	4
109 0548173		Grab Handles, Driver and Passenger Door Post, Imp/Vel	1
110 0583938		Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	1
111 0122516		Qty, - 01 Fluid Check Access, Imp/Vel	1
112 0583039		Not Required, Side Roll and Frontal Impact Protection	1
113 0622618		Seating Capacity, 5 Seats	1
114 0678508		Seat, Driver, Bostrom, Sierra, Air Ride, High Back, 2010	1
114 0070000		Bostrom, Zip Clean Cover - (0) None	•
115 0620309		Seat, Officer, Bostrom 450, Air Ride, SCBA, Imp/Vel	1
116 0002517		Not Required, Radio Compartment	1
117 0678470		Seat, Rear Facing C/C, DS Outboard, Bostrom Sierra, Hi-Back, 2010	1
118 0102783		Not Required, Seat, Rr Facing C/C, Center	1
119 0745780	SP	Cabinet, Rear Facing, RS, 19 W x 20 H x 21 D, Web, Sp Mtg, Imp/Vel	1
		Type of fastener - spring clip and hook	-
		Restraint Location - Bottom (towards the ground)	
		Light, Short Cabinet - Pierce, Interior, Left Side	
		Material Finish, Shelf - 0-No Shelving	
		Shelf/Tray, Cabinet - (0) None	
		Louvers, Cabinet - 0-No Louvers	
120 0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
121 0678305		Seat, Forward Facing C/C, Center, (2) Bostrom 400CT, SCBA, 2010	1
122 0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
123 0007968		Upholstery, Seats In Cab, All Dura-Wear, Bostrom	1
404 0077000		Color, Cab Interior Vinyl/Fabric - h) Gray/Black	^
124 0677039		Bracket, Air Bottle, Bostrom "SecureAll", Cab Seats, Bostrom Only	3
105 0600067		Qty, - 03	4
125 0603867		Seat Belt, ReadyReach	1
		Seat Belt Color - Red	
			_

10/10/2019 7:10 PM Bid #: 754 Page 7 of 26

Line Option	Туре	Option Description	Qty
126 0604864		Seat Belt Height Adjustment, 5 Seats, Imp/Vel, Dash CF	1
127 0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
128 0647647		Lights, Dome, FRP Dual LED 4 Lts	1
		Color, Dome Lt - Red & White	
		Color, Dome Lt Bzl - Black	
		Control, Dome Lt White - Door Switches and Lens Switch	
		Control, Dome Lt Color - Lens Switch	
129 0631779		Light, Map, Overhead, Round Halogen, AXT/Imp/Vel/Dash CF, Hawk EX	1
400 000007		12vdc power from - Battery switched	
130 0602637		Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification	1
131 0594554		Cab Instruments, Blk Gags, Blk Bez, Impel 2010	1
132 0509511 133 0543751		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1 1
133 0343731		Light, Do Not Move Apparatus	'
134 0509042		Alarm, Do Not Move Truck - Pulsing Alarm Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
135 0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
100 0011001		Location, Emerg Sw Pnls - Driver's Side Overhead	•
136 0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
137 0548006		Wiring, Spare, 15 A 12V DC 2nd	1
		Qty, - 01	
		12vdc power from - Battery direct	
		Wire termination - Butt Splice	
		Location - two foot pigtail coiled up behind switch panel no. 9 in the lower	
120 0566101		instrument panel	4
138 0566101 139 0615214		Recess, Dash Panel, Officer Side, Vel/Imp Vehicle Information Center, LCD On Gauge Cluster w/7" Color	1 1
139 0013214		Disp,Touchscreen,Imp	'
		Location, CZ Display - DS Instrument Panel, Impel Camera System	
		System Of Measurement - US Customary	
140 0606247		Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
141 0594900		Intercom, Sigtronics US-45S, 5-Pos, 3-Radio, D,O,2C,P	1
		Location, Intercom, C Cab - 2) 2 forward facing seats	
142 0009063		Not Required, Radio Interface	1
143 0681408		Hangers For Headsets, NFPA, Each	4
		Qty, - 04	
		Location, Headset Hangers - Driver Seat, Officer Seat, DS Inbrd, Fwrd Fcng Seat and PS Inbrd, Fwrd Fcng Seat	
144 0696443		Antenna Mount, Custom Chassis, Cable Routed to Overhead Switch Area	1
		Location - officer side, standard location	
		Qty, - 01	
145 0755515		Camera, Pierce, Drivers Mux Display, R, RS Cameras	1
		Camera System Audio - Not Provided	
146 0523921		Recess, Rear Vision Camera	1
4.47.004.54.00		Location, Camera, Recessed - Center Rear	4
147 0615106		Pierce Command Zone, Advanced Electronics & Control System, Impel, WiFi	1
148 0624255		Electrical System, Impel	1
149 0079166		Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud	1 1
150 0008621 151 0123174		Battery System, Single Start, All Custom Chassis Battery Compartment, Imp/Vel	1
152 0756292		Charger, Sngl Sys, Kussmaul, 1200 PLC, 091-187-12-Remote Ind Fet 40Amp	1
132 0730292		Battery Charg Display, Ksml - Bar Graph Ind, part number 091-199-001	'
		bar graph	
153 0539734		Location, Charger, Cab Behind Driver Seat	1
154 0531403		Location, Bat Chrg Ind, Driver's Seat with Bracket	1
155 0016856		Shoreline, 15A 120V, Kussmaul Auto Eject, 091-55-15-120, Super	1
		Qty, - 01	
		Color, Kussmaul Cover - b) red	
450 000000		Connection, Shoreline - the battery charging system and R1 receptacle	
156 0026800		Shoreline Location	1
457 0047700		Location, Shoreline(s) - DS Cab Side	
157 0647728 158 0092582		Alternator, 430 amp, Delco Remy 55SI	1 1
100 0092002		Load Manager/Sequencer, MUX	1
		Enable/Disable Hi-Idle - e)High Idle enable	

10/10/2019 7:10 PM Bid #: 754 Page 8 of 26

Line Option	Туре	Option Description	Qty
159 0648716		Headlights, Rectangular Halogen, Imp/Vel	1
160 0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
		Color, Lens, LED's - m)match LED's	
161 0750542		Light, Directional/Marker, Intermediate, Truck-Lite 60421Y LED 2lts	1
162 0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
163 0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
164 0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
165 0085910		Lights, Backup Included in Signal Cluster	1
166 0664481		Bracket, License Plate & Light, P25 LED	1
167 0589905		Alarm, Back-up Warning, PRECO 1040	1
168 0687604		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt	1
169 0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1
170 0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step	1
		Control, Perimeter Lts - Parking Brake Applied	•
171 0533430		Lights, Perimeter, Truck-Lite 6060C LED Grommet Mnt	2
		Qty, Lights - 02	
		Location, Lights - one under LS3 and one under RS3	
172 0556337		Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts	1
173 0709537		Light, FRC, 12V FCA210-V15, LED, Recessed Evolution II, 2nd	1
		Location, Lights - as high as possible on the right side of the cab, rear of	
		the crew cab door up high	
		Qty, - 01	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - g) PS Switch Panel	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
174 0709536		Color, Lt Housing - White Light, FRC, 12V FCA210-V15, LED, Recessed Evolution II, 1st	1
174 0709330		-	ı
		Location, Lights - as high as possible on the left side of the cab, rear of the crew cab door up high	
		Qty, - 01	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - g) PS Switch Panel	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
175 0010001		Color, Lt Housing - White	
175 0618301		Light, Visor, FRC, 12V SPA851-Q15-*, LED 1st	1
		Qty, - 01	
		Location, driver's/passenger's/center - Centered	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - d) No Control	
		Color, FRC/Rom Lt Housing - FRC, White	
176 0771989		Lights, FRC, FCA***-V20, 20,000 Lum, 12 VDC, 2nd	1
		Location - left, driver side rear of the cab	•
		Qty, - 01	
		Color, FRC/Rom Lt Housing - FRC White Lts	
		Control, Scene Lts - Pump Panel Sw DS	
		Mount, FRC - Vert Surface Mount, Push-Up Pole, Model 530, DNMT	
177 0771987		Lights, FRC, FCA***-V20, 20,000 Lum, 12 VDC, 3rd	1
		Location - right, passenger side rear of the cab	
		Qty, - 01	
		Color, FRC/Rom Lt Housing - FRC White Lts	
		Control, Scene Lts - Pump Panel Sw DS	
178 0774334		Mount, FRC - Vert Surface Mount, Push-Up Pole, Model 530, DNMT Lights, Wln, P*H1* Pioneer, 12 VDC, 2nd	2
110 011-100-1		Location - one each side up high on the rear bulkheads	۷
		Qty, - 02	
		Color, WIn Lt Housing - White Paint	
		Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw DS, Cab Sw	
		Panel PS and Body Switch, DS Rear Bulkhead	
		Scene Light Optics - Flood/Spot	
470 0500050		Mount, WIn II - Semi-recessed 15 deg P**1	4
179 0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1

Line Option	Туре	Option Description	Qty
180 0645675		Lights, Not Required, Hose Bed, Alt. Pole Lights On Back Of Cab/In Pump House	1
181 0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
182 0645637		Lights, Rear Scene, Wln, PELCC LED, 45 Deg Flange	2
		Location, Lights - just above the lower rear warning lights	
		Qty, - 02	
		Control, Rear Scene Lts - Cab Switch Panel DS and Body Switch, DS	
		Rear Bulkhead	
183 0709438		Light, Walking Surf, FRP Flood, LED	1
184 0518282		Pumper, PUC, Aluminum	1
185 0554271		Body Skirt Height, 20"	1
186 0519696		Tank, Water, 500 Gallon, Poly, Rectangle, Form Fitting, PUC	1
187 0003405		Overflow, 4.00" Water Tank, Poly	1
188 0028104		Foam Cell Required	1
189 0633066		Sleeve, Through Tank	2
100 000000		Qty, Sleeve - 2	_
		Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
190 0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
191 0003429		Not Required, Direct Tank Fill	1
192 0003424		Not Required, Dump Valve	1
193 0048710			1
		Not Required, Jet Assist	
194 0030007		Not Required, Dump Valve Chute	1
195 0514778		Not Required, Switch, Tank Dump Master	1
196 0597043		Body Height, PUC	1
		Body Height - 89.00"	
197 0199241		Hose Bed, Aluminum, Pumper, PUC	1
198 0003482		Hose Bed Capacity, Additional	1
		Capacity, Hosebed - 750' of 2.50" / Shoulder Pack / 200' of 2.00" / 1200'	
400 0000400		of 5.00" / 400' of 1.50" / Walkway	
199 0003488		Divider, Hose Bed, Unpainted	3
		Qty, Hosebed Dividers - 3	
200 0589278		Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear	1
		Type of fastener - seat belt buckle	
		Nylon Web Color - Black	
004 0005000		Type of fastener, Rear - seat belt buckle - bottom of hosebed	
201 0665332		Cross-divider, Hose Bed, Unpainted	1
		Location - behind the foam and water domes	
202 0620895		Cutout, Handhold, in Hose Bed Divider, Location	1
		Location - PS Divider (between hosebed #5 & #6)	
000 0504000		Qty, - 01	0
203 0581892		Divider, Hose Bed, .25" Sheet, Unpainted, Permanent	2
		Location - at the step above the full-height compartments	
004 0505050		Qty, - 02	
204 0525658		Running Boards, PUC	1
205 0676723		Tailboard, 16" Deep, Full Width, Angled Corners, PUC	1
206 0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM	1
207 0003531		Tow Bar, Under Tailboard	1
208 0656764		Construction, Compt, Alum, Pumper, PUC	1
209 0503804		LS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
210 0503803		RS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
211 0692733		Doors, Rollup, Gortite, Side Compartments	6
		Qty, Door Accessory - 06	
		Color, Roll-up Door, Gortite - Painted to Match Lower Body	
		Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
212 0599445		Compt, Rear, Rollup, 33.50" FF, w/Tailboard, PUC	1
213 0692743		Door, Gortite, Rollup, Rear Compartment, PUC	1
		Color, Roll-up Door, Gortite - Satin finish	
		Latch, Roll-up Door, Gortite - Non-Locking Liftbar	
214 0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
		Qty, - 07	
		Location, Compartment Lights - All Body Compts	
215 0515676		No Hatch Compartments Required, PUC	1
216 0522640		No Hatch Compartments or Lights	1
217 0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
		Did #. 754	P

Line	Option	Туре	Option Description	Qty
218	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	6
			Qty, Shelf - 06	
			Material Finish, Shelf - Painted - Spatter Gray	
			Location, Shelves/Trays, Predefined - LS1-Transition Point, RS1-	
			Centered, RS3-Centered, LS3-Upper Third, LS1-Upper Third and LS3- Transition Point	
219	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	2
			Qty, - 02	
			Location, Tray Slide-Out, Floor Mounted - LS1 and B1	
			Material Finish, Tray - Painted - Spatter Gray	
220	0650435		Toolboard, Swing-Out, Alum, .188", No Holes, 3G	1
			location - LS2	
			Qty - 1	
			Location, Pivot - Back Mounting, Toolboard - Adjustable Frt-back	
			Finish, Pegboard/Toolboard - Painted - Spatter Gray	
221	0519798		Little Giant Ladder Storage, Model 17, Jump Compt Horizontal, PUC	1
222	0516644		Mounting, Backboards, Above Crosslays, PUC	2
			Qty, - 02	
			Size - 2 x 18 x 72, Partition needs to be located 6" forward of the rear wall	
	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
224	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen	1
225	0510040		Material Finish, Fender Liner - Brushed Stainless	1
	0519849 0527021		Not Required, Hose, Hard Suction	1 1
	0664688		Handrails Located @ Front Body Handrails, Rear, PUC	1
	0004088		No Rear Hose Bed Handrail Required	1
	0657651		Compt, Air Bottle, Double, Full Width Door, Fender Panel	2
220	0007001		Qty, Air Bottle Comp - 2	_
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Double - RS Fwd and Double - RS Rear	
			Latch, Air Bottle Compt - Flush Lift & Turn	
			Insert, Air Bottle Compt - W-Shaped Insert	
230	0795333		Compt, Air Bottle, Single, Fender Panel, Bolt-In	1
			Qty, Air Bottle Comp - 1	
			Door Finish, Fender Compt - Polished Location, Fender Compt - Single - LS Fwd	
			Latch, Air Bottle Compt - Flush Lift & Turn	
			Insert, Air Bottle Compt - Rubber Matting	
231	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
232	0004230		Ladder, 14' Duo-Safety 775A Roof	1
233	0638382		Rack, Ladders, in LS Full Depth Body, PUC	1
			Door, Material & Finish, Ladder Storage - smooth aluminum	
22.4	004 40 45		Latch, Door Ladder Storage - D-Handle latch	4
234	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting	1
235	0602877		Location, Folding Ladder - DS Pike Pole Compt Pike Pole, Pumper, Provided by Fire Department, NFPA 2016	1
200	0002077		Pike Pole Make/Model - Duo-Safety 10' Pike Pole	
236	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Duo-Safety 6' Pike Pole	
237	0556751		Compt, Pike Poles/Fld Ldr In Upper Body (1) LS, Smooth Alum Door, PUC	1
238	0521734		No Steps Required, Front Of Body, PUC	1
239	0586586		Steps, Folding, Rear of Body, w/LED, Trident, PUC	1
			Coating, Step - luminescent	
	0524828		Pump, Pierce, 1250 GPM, Single Stage, PUC	1
	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
	0521309		Pumping Mode, Pump and Roll/Stationary, Basic, PUC	1
	0515829 0515833		Pump Shift, Sure-Shift Transmission Lock-up, Not Regid, Park to Neutral, Pump, PLIC	1 1
	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC Auxiliary Cooling System, PUC	1
	0014486		Not Required, Transfer Valve, Stage Pump	1
<b>∠</b> ₩1	JU 1 TTUU		Hot Hoganica, Transici vaivo, Otago i unip	'

10/10/2019 7:10 PM Bid #: 754 Page 7

Line Option	Туре	Option Description	Qty
248 0777650		Valve, Relief Intake, Akron	1
		Pressure Setting - 125 psig	
249 0515838		Controller, Pressure, Pierce, PUC	1
250 0072153		Primer, Trident, Air Prime, Air Operated	1
251 0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
252 0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
253 0795135		Plumbing, Stainless Steel, w/Foam System	1
254 0517852		Inlets, 6.00" - 1500 GPM, Pierce PUC Pump	1
255 0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
256 0084610		Valves, Akron 8000 series- All	1
257 0004660		Inlet, Left Side, 2.50"	1
258 0004680		Inlet, Right Side, 2.50"	1
259 0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	2
		Qty, Inlets - 2	
260 0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
261 0004700		Control, Inlet, at Valve	1
262 0092569		No Rear Inlet (Large Dia) Requested	1
263 0092696		Not Required, Cap, Rear Inlet	1
264 0064116		No Rear Inlet Actuation Required	1
265 0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
266 0092568		No Rear Auxiliary Inlet Requested	1
267 0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
268 0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
269 0595508		Outlet, Tank Fill, 1.50", PUC	1
270 0516755		Outlet, Left Side, 2.50" (2), PUC	1
271 0766761		Outlet, Right Side, 2.50", (1), Electric Akron 9335 Controller, PUC	1
		Qty, Discharges - 01	
272 0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
273 0649939		Outlet, Front, 1.50" w/2" Plumbing	1
		Fitting, Outlet - 1.50" NST with 90 degree swivel	
		Drain, Front Outlet - Automatic	
		Location, Front, Single - in center bumper tray	
274 0516777		Outlet, Rear, 2.50", (1), Thru Tank, PUC	1
		Qty, Discharges - 01	
075 0540700		Location, Outlet - a) right side	4
275 0516782		Outlet, Rear, 2.50" w/2.50" Plumbing, Thru Tank, PUC, Additional	1
		Qty, Discharges - 01	
276 0752097		Location, Outlet - b) left side Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
277 0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
278 0055095			1
		Not Required, Elbow, Left Side Outlets, 2.50"  Not Required, Elbow, Right Side Outlets	
279 0021134		·	1
280 0045091 281 0536635		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
201 0030030		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC, Additional	1
282 0527969		Qty, Discharges - 01 Cap, Large Dia Outlet, 4.00", IPO Elbow	1
283 0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
284 0516280		Outlet, 3.00" Deluge w/2.50" Valve, w/TFT Extend-a-Gun XG18, PUC	1
285 0029302			1
		No Monitor Requested	
286 0029304		No Nozzle Req'd	1
287 0005070		Deluge Mount, NPT	1
288 0750998		Crosslay Module, Std Width, Light Head Notch, PUC	1
289 0749369		Hose Restraint, Crosslay, 1"Nylon Web, Bar and Hook, PUC	1
		Fastener, Hose Restraint - 1.00" Cam Buckle - Paired with Bar and Hook	
290 0750916		Qty, Bar - One Bar Crosslays, (2) 1.50", W/Poly Trays, PUC	1
290 0730910			ı
291 0747055		Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 1.75" double jacket hose Not Required, 2.50" Crosslay	1
292 0746277	SP	Partition, "L" Shaped in Compartment, PUC	1
202 0170211	J1	Location - in the PUC Backboard compartment just like 30716.	,
		Compartment and divider to be the same.	
		Qty, Partition - 01	
-			P

Line	Option	Туре	Option Description	Qty
293	0558370		Tray(s), Poly, Additional, Crosslays, PUC	2
294	0676021		Qty, - 02 Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature	1
201	0070021		Discharge, Foam Locations - Crosslay Lower Rear, Crosslay Lower	•
			Front, Front Bumper Left Side, Rear Outlet Left Side and Rear Outlet Right Side Discharge, Foam Locations - Crosslay Lower Rear, Crosslay Lower	
005	0040400		Front, Front Bumper Left Side, Rear Outlet Left Side and Rear Outlet Right Side	4
	0012126		Not Required, CAF Compressor	1
	0592527 0031894		Refill, Foam Tank, Integral, Husky 3  Demonstration, Foam System, At Pierce	1 1
231	0031034		Vehicle, Qty, Training, P - 1 vehicle	
298	0595941		Foam Cell, 20 Gallon, Not Reduce Water, PUC	1
			Type of Foam - Class "A"	
200	0607500		Foam, Brand Name - Silvex	1
	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1 1
	0091079 0091112		Not Required, Foam Tank #2  Not Required, Foam Tank #2 Drain	1
	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
	0032479		Pump Panel Configuration, Control Zone	1
	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless,	1
005	0540070		PUC PUC	
	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
	0520016		Not Required, Pumphouse Structure, PUC Light, Pump Compt, Wln 3SC0CDCR LED White, PUC	1 1
307	0618458		Qty 01	'
308	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
	0005601		Throttle Included w/ Pressure Controller	1
310	0549333		Indicators, Engine, Included with Pressure Controller	1
311	0553643		Control, Air Horn at Pump Panel w/Red Switch	1
312	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
314	0517009		Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC	1
315	0062992		Activation, Water Level G - pg) pump in gear Gauge, Foam Level, (1) Tank, Class 1, 5lt	1
	0653081		Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr	1
			Cvr	
-	0006051		Air Horn, (1) Grover, In Bumper	1
	0606839		Location, Air Horn, Bumper, Left Side, Outside Frame, Inboard (Pos #6)	1
	0016065		Control, Air Horn, Horn Ring, PS Chrome Push Button Siren, Code 3 3692 100W or 200W	1
	0006133 0510206		Location, Elect Siren, Recessed Overhead In Console	1 1
521	0310200		Location, Elec Siren - Overhead in Console  Location, Elec Siren - Overhead, DS Inside Sw Pnl	
322	0622973	SP	Control, Elec Siren, DS Switch, PS Push Buttons	1
			Location - switch panel #7, same programming as 30716	
323	0601375		Speaker, (1) Code 3, PB100C, Chrome	1
324	0601555		Connection, Speaker - siren head Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame, Outbrd (Pos 7)	1
-	0016080		Siren, Federal Q2B	1
326	0006097		Location of Siren, Recessed in Bumper	1
			Location, Siren, Mech - b) right	
	0026170		Control, Mech Siren, DS Foot Sw, PS Push Button	1
328	0069787		Switch, Second Siren Brake, Membrane Style Switch	1
			Location - officer side overhead, switch panel #5, see instrument panel layout.	
329	0794814	SP	Lightbar, Wln, Freedom IV-Q, 81", RRRRWRRRRRRWRRRR	1
			Filter, Whl Freedom Ltbrs - No Filters	
330	0691523		Wiring Only, Opticom Emitter, Location	1
			Location - front center of cab forward of the lightbar	
			Opticom Activation - Cab Switch & E-Master	
331	0540439		Momentary Opticom Activation - no activation  Light, Front Zone, Wln M6*, LED, Colored Lens	1
301	30.0100		Color, Lt DS Front - Red	•
			Color, Lt PS Front - Red	

Page 13 of 26

Line Option	Туре	Option Description	Qty
332 0540692		Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25	1
		Location, Lights Front Side - b)each side bumper	
		Color, Lt Side Front - Red	
		Color, Lt Side Middle - Red	
		Color, Lt Side Rear - Red	
		Location, Lights Mid Side - Rearward of Crew Cab Doors	
333 0540783		Location, Lights Rear Side - Rear Fender Panel Lights, Rear Zone Lower, WIn M6*C LED	1
333 0340763		-	ı
		Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red	
334 0591938		Lights, Rear/Side Up Zone, Wln M6*C Side, M9*C Rear, LED, Clear Lens	1
001 0001000		Color, Lt, Side Rear Upper DS - Side Rear Upper Red	
		Color, Lt, Side Rear Upper PS - Side Rear Upper Red	
		Color, Lt, Rear Upper DS - r) DS Rear Upper Red	
		Color, Lt, Rear Upper PS - r) PS Upper Rear Red	
335 0006551		Not Required, Lights, Rear Upper Zone Blocking	1
336 0537807		Mtg, Rear Warn Lts, Side Sheets & Rear of Body Bulkheads	1
337 0779722		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
		Qty, - 01	
		Location 1 - tank wall of B1 up high and towards the driver side	
		AC Power Source - Shoreline	
		Cover, Receptacle - Interior SS Wall Plate(s)	
338 0519934		Not Required, Brand, Hydraulic Tool System	1
339 0007150		Bag of Nuts and Bolts	1
		Qty, Bag Nuts and Bolts - 1	
340 0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire	1
341 0602407		Department Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification	1
342 0027023			1
342 0027023		No Strainer Required Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire	1
343 0002330		Department	ı
344 0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire	1
		Dept	
345 0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
346 0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
347 0659957		Paint, Two Tone, Cab, w/ High Shield, Custom Cab, Vel/Imp	1
		Paint, Color - Red #107 lower cab and body	
		Paint Color, Upper Area - White #20 upper cab	
348 0646897		Paint Chassis Frame Assy, E-Coat, Standard	1
0.40, 0000700		Paint Color, Frame Assembly, Predefined - Standard Black	4
349 0693798		Paint, Front Wheels	1
250 0602702		Paint, Wheels - Red #107	1
350 0693793		Paint, Rear Wheels, Single Axle	'
351 0007230		Paint, Wheels - Red #107 Compartment, Painted, Spatter Gray	1
352 0544129		Reflective Band, 1"-6"-1"	1
332 0344129		,	'
		Color, Reflect Band - A - a) white Color, Reflect Band - B - I) white	
		Color, Reflect Band - C - w) white	
353 0510041		Reflective across Cab Face, Imp/Vel	1
354 0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC	1
		Color, Rear Chevron DG - fluorescent yellow green	
355 0065687		Stripe, Reflective, Cab Doors Interior	1
		Color, Reflective - e) black	
356 0027372		Lettering Specifications, (GOLD STAR Process)	1
357 0686391		Lettering, Gold Leaf, 4.00", (21-40)	1
		Outline, Lettering - Outline and Shade	
358 0686256		Lettering, Gold Leaf, 4.00", Each	4
		Qty, Lettering - 04	
		Outline, Lettering - Outline and Shade	
359 0549176		Emblem, Flourish, Gold Leaf, Pair	2
		Qty, - 02	
		Location, Emblem - located on cab doors	
360 0769753		Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
		51.1 W 37.1	Pa

Line	Option	Туре	Option Description	Qty
361	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
362	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
000	0770004		Qty, - 01	4
	0773381		Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
	0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
	0595767		Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
	0777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
	0595813 0524627		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	0695416		Warranty, Electronics, 5 Year, MUX, WA0014 Warranty, Pierce Camera System, WA0188	1 1
	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
	0047720		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
	0685945		Warranty, Transmission Cooler, WA0216	1
	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
	0693127		Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
	0516693		Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
	0657990		Warranty, Foam System, Husky 3, WA0231	1
	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
	0683627		Certification, Vehicle Stability, CD0156	1
	0608290		Certification, Engine Installation, Imp/Vel, Cummins L9, 2017, CD0152/CD0159	1
	0686786		Certification, Power Steering, CD0098	1
	0667418		Certification, Cab Integrity, Impel FR, CD0009	1
	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
	0667416		Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015	1
	0667415		Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016	1
	0545073		Amp Draw Report, NFPA Current Edition	1
398	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
399	0799248		Appleton/Florida BTO	1
400	0000048		PUMPER/TANKER, 3rd Gen	1
401	0000012		PIERCE CHASSIS	1
402	0004713		ENGINE, OTHER	1
403	0046395		EVS 3000 Series TRANSMISSION	1
404	0520324		PIERCE PUMP, PUC	1
405	0020009		POLY TANK	1
406	0028048		FOAM SYSTEM	1
407	0020006		SIDE CONTROL	1
408	0020007		AKRON VALVES	1
409	0020015		ABS SYSTEM	1
410	0658751		PUMPER BASE	1





October 9, 2019

Missoula Fire Department, MT One (1) IHC Type 2 Pumper AS759 Build Location: Bradenton, FL

Proposal Price	369,338.00
Less payment upon completion @ factory discount	(2,634.00)
* Deduct for 100% pre-payment with contract If this option is elected, the discount is in addition the payment upon completion at the factory discount.	(11,356.00)
Subtotal including all pre-pay discounts	355,348.00
Less customer drive-out discount  If this option is elected payment in full and proof of insurance must be provided prior to leaving the factory and the customer is responsible for compliance with all state, local and federal DOT requirements including the driver possessing a valid CDL license.	(5,850.00)
Less performance bond	(995.00)
Proposal price including discounts	348,503.00

#### Terms:

Based on Pierce's current delivery schedule the unit would be ready for delivery from factory within 12.5 to 15.5 months after contract execution. Delivery is subject to change pending Pierce's delivery schedule at time of order.

The above pricing is valid until January 31, 2020. If order is not submitted prior to that date, a 3% price increase will be required.

The above quote is subject to change.

If payment discount options are not elected standard payment terms will apply: Final payment will be due 30 days after the unit leaves the factory for delivery. If payment is not made at that time a late fee will be applicable.

An invoice will be provided upon order processing for the 100% prepayment if elected.

The Purchasing Documents will be between Hughes Fire Equipment and the customer.

The proposal price is based on the unit being purchased through FireRescue GPO / NPPGov. This pricing is only valid for a FireRescue GPO / NPPGov purchase on PPA MPA for RFP No. 1420. Member ID# M-5700712

Transportation of the unit to be driven from the factory is included in the pricing. However, if we are unable to obtain necessary permits, due to the weight of the unit, and the unit must be transported on a flat bed, additional transportation charges will be the responsibility of the purchaser. We will provide pricing at that time if necessary.

One (1) factory inspection trip for two (2) fire department customer representatives and one (1) factory inspection trip for four (4) fire department customer representatives is included in the above pricing. The inspection trips will be scheduled at times mutually agreed upon between the manufacture's representative and the customer. Airfare, lodging and meals while at the factory are included. If the Department elects to forgo an inspection trip \$1,850.00 per traveler (per trip) will be deducted from the final invoice.

38 (Current: 38)



# **Proposal Option List**

Customer: Missoula Fire Department Bid Number: 759

Representative Siebers, Andrew Job Number:

Organization: Hughes Fire Equipment Inc.

Number of Units:

Organization:Hughes Fire Equipment, IncNumber of Units:1Requirements Manager:Bid Date:09/30/2019

Requirements Manager:
Description: Missoula

Description:MissoulaStock Number:Body:Pumper, Short, Aluminum, 2nd Gen, Saber/CommercialPrice Level:

**Chassis:** International HV, 4x4, Single Rear Axle

1 0784631 BTO,HIGHLY COMPLEX/SPECIAL Configuration, Extra Short Body 2 0766610 Boiler Plates, Pumper, w/Commercial Chassis  Fire Department/Customer - Missoula Fire Department Operating/In conjunction W-Service Center - In Conjunction Miles - 150 Miles Number of Fire Dept/Municipalities - 2 Bidder/Sales Organization - Pierce Manufacturing Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization, Service - Hughes Fire Equipment, Inc. 3 0018257 Commercial chassis & Snorkel products 4 0584455 Manufacture Location, Bradenton, Florida 5 0584453 RFP Location: Bradenton, Florida 6 0588609 Vehicle Destination, US 7 0610783 Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus	Line Option	Туре	Option Description	Qty
2 0766610   Boiler Plates, Pumper, WCommercial Chassis   Fire Department	<u> </u>	717-		
Fire Department/Customer - Missoula Fire Department Operating/In conjunction W-Service Center - In Conjunction Miles - 150 Miles Number of Fire Dept/Municipalities - 2 Bidder/Sales Organization - Pierce Manufacturing Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization - Pierce Manufacturing Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization, Sarvice - Hughes Fire Equipment, Inc. Commercial chassis & Snorkel products 4 0584455 Manufacture Location. Bradenton, Florida 6 0588609 Vehicle Destination, US 7 0610783 Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 10 0568412 Agency, Apparatus Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA 11 0000114 Inspection Trip(s) Qiy, - 02 Filin Blank - one with 2 department persons and one with 4 department persons 12 0620361 Consortium, GPO 13 0537375 Unit of Measure, US Gallons 14 0000005 Bid Bond, 10% 15 0582697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percetage, Contract - 100% Approval Drawing Filin Blank - One with 2 department persons 18 0772281 International HV, 4x4, Single Rear Axle 19 0762131 Model Year 2020 Model Y			· · · · · · · · · · · · · · · · · · ·	-
Operating/In conjunction Wi-Service Center - In Conjunction Milles - 150 Milles Number of Fire Dept/Municipalities - 2 Bidder/Sales Organization - Pierce Manufacturing Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization - Service - Hughes Fire Equipment, Inc.  3 0018257 Commercial chassis & Shorkel products 4 0584455 Manufacture Location, Bradenton, Florida 5 0584453 RFP Location: Bradenton, Florida 6 0588609 Vehicle Destination, US 7 0610783 Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0744039 SP Vehicle Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA 10 0568412 Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD 11 10000114 Inspection Trip(s) Qity. 02 Fill in Blank - one with 2 department persons and one with 4 department persons 12 0620361 Consortium, GPO 13 0537375 Unit of Measure, US Gallons 14 0000005 Bid Bond, 10% Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% Approval Drawing 19 0762131 Model Year 2020 10 0772099 Base Price, International HV, 4x4, Single Rear Axle 10 053786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 4 Meelbase, 181* Hiru 205*, International HV 4x4 Wheelbase - 203* GWY Rating, Commercial 10 688646 Frame, Chassis, International HV 4x4 Wheelbase - 203* GWW rating - 35,000¢ SWOW rating - 35,	2 0/00010		·	,
Miles - 150 Miles   Number of Fire Dept/Municipalities - 2				
Number of Fire Dept/Municipalities - 2   Bidder/Sales Organization - Pierce Manufacturing Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization , Service - Hughes Fire Equipment, Inc.				
Bidder/Sales Organization - Pierce Manufacturing   Delivery - A qualified delivery representative shall deliver the apparatus.   Dealership/Sales Organization, Service - Hughes Fire Equipment, Inc.				
Delivery - A qualified delivery representative shall deliver the apparatus. Dealership/Sales Organization, Service - Hughes Fire Equipment, Inc.				
Dealership/Sales Organization, Service - Hughes Fire Equipment, Inc. 3 0018257 Commercial chassis & Sonskel products 4 0584455 Manufacture Location, Bradenton, Florida 5 0584453 RFP Location: Bradenton, Florida 1 05884609 Vehicle Destination, US 7 0610783 Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0744039 SP Vehicle Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA 1 00568412 Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD 1 Inspection Trip(s) 2 Qty 02 Fill in Blank - one with 2 department persons and one with 4 department persons 1 0620361 Consortium, GPO 1 1 0537375 Unit of Measure, US Gallons 1 05000005 Bid Bond, 10% 1 05082697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% 4 0000007 Approval Drawing 1 1 0588819 Electrical Diagrams, Commercial 1 1 0772281 International HV, 444, Single Rear Axle 1 0772281 Model Year 2020 2 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 3 0686544 Wheelbase, 181* thru 205*, International HV 4x4 Wheelbase - 203** 2 0523787 GVW Rating, Commercial Chassis GVW rating - 35,000# 2 077644 Frame, Chassis, International HV 4x4, "C" Channel 2 0768779 Axle, Front, 12K Rating, International HV 4x4 1 0772127 Kaling Rear, Mertion, 12S Commercial 1 0586779 Goodyear Tires 1 0586779 Goodyear Tires 1 0586779 Goodyear Tires 2 0772272 Tires, 2.2.50, "7x44 2 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4 3 06772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4 3 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4				
3 0018257 Commercial chassis & Snorkel products 4 0584455 Manufacture Location, Bradenton, Florida 5 0584453 RFP Location: Bradenton, Florida 6 0588609 Vehicle Destination, US 7 0610783 Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis 8 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 9 0744039 SP Vehicle Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA 10 0568412 Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD 11 0000114 Inspection Trip(s) Qty, - 02 Fill in Blank - one with 2 department persons and one with 4 department persons 12 0620361 Consortium, GPO 13 0537375 Unit of Measure, US Gallons 14 0000005 Bid Bond, 10% Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% Approval Drawing 18 0772281 International HV, 4x4, Single Rear Axle 19 0762131 Model Year 2020 Base Price, International HV, 4x4, Pricing Level 6/01/2018 Angle of Approach Fill in Blank - 25 Condition of Truck - Loaded Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded 4 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# Frame, Chassis, International Frame Reinforcement, International Frame Reinforcement, International Frame Reinforcement, International Frame Reinforcement, International Store Commercial Shock Absorbers, Front Store Commercial Shock				
4 0584455	3 0018257			1
Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis Chassis Pumper/Pumper with Aerial Device Fire Apparatus Pumper/Pumper with Aerial Device Fire Apparatus Pumper/Pumper with Aerial Device Fire Apparatus Pumper Vehicle Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA Pumper/Pumper Less Than 750 GPM, 2016 Non-NFPA Pumper/Pumper Less Than 750 GPM, 2016 Non-NFPA Pumper Vehicle Certification, Pumper/Tanker, Third Party, PMFD Pumpersons Persons Pumpersons Pum	4 0584455		Manufacture Location, Bradenton, Florida	1
Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis Chassis	5 0584453		RFP Location: Bradenton, Florida	1
Chassis  8 0533347	6 0588609		Vehicle Destination, US	1
9 0744039 SP Vehicle Certification, Pumper Less Than 750 GPM, 2016 Non-NFPA 10 0568412 Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD 11 0000114 Inspection Trip(s)	7 0610783		Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial	1
10 0568412	8 0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
10 0568412	9 0744039	SP		1
Otty, - 02   Fill in Blank - one with 2 department persons and one with 4 department persons	10 0568412		Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD	1
Fill in Blank - one with 2 department persons and one with 4 department persons 12 0620361 Consortium, GPO 1 13 0537375 Unit of Measure, US Gallons 1 14 000005 Bid Bond, 10% 1 15 0582697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% 1 16 0000007 Approval Drawing 1 18 0772281 International HV, 4x4, Single Rear Axle 1 19 0762131 Model Year 2020 1 20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 1 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 1 22 0523787 Angle of Departure 1 23 0686544 Wheelbase, 181" thru 205", International HV 4x4 1 Wheelbase, 181" thru 205", International HV 4x4 1 Wheelbase - 203" 24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# 1 25 0027644 Frame, Chassis, International HV 4x4, "C" Channel 1 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 1 29 0073051 Shock Absorbers, Front 1 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 1 31 0585779 Goodyear Tires 1 32 0772242 Tires, 22.50, Traction Tread, 4x4 1 33 0683147 Wheel, Steel, 22.50", 4x4 1 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	11 0000114		Inspection Trip(s)	2
Fill in Blank - one with 2 department persons and one with 4 department persons 12 0620361 Consortium, GPO 1 13 0537375 Unit of Measure, US Gallons 1 14 000005 Bid Bond, 10% 1 15 0582697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% 1 16 0000007 Approval Drawing 1 18 0772281 International HV, 4x4, Single Rear Axle 1 19 0762131 Model Year 2020 1 20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 1 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 1 22 0523787 Angle of Departure 1 23 0686544 Wheelbase, 181" thru 205", International HV 4x4 1 Wheelbase, 181" thru 205", International HV 4x4 1 Wheelbase - 203" 24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# 1 25 0027644 Frame, Chassis, International HV 4x4, "C" Channel 1 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 1 29 0073051 Shock Absorbers, Front 1 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 1 31 0585779 Goodyear Tires 1 32 0772242 Tires, 22.50, Traction Tread, 4x4 1 33 0683147 Wheel, Steel, 22.50", 4x4 1 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4			Qty, - 02	
12 0620361 Consortium, GPO 13 0537375 Unit of Measure, US Gallons 14 0000005 Bid Bond, 10% 15 0582697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% 16 0000007 Approval Drawing 17 0589819 Electrical Diagrams, Commercial 18 0772281 International HV, 4x4, Single Rear Axle 19 0762131 Model Year 2020 20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded 23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203" 24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# 50 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4 Suspension, Front Spring, 12,000 lb, Commercial 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 Axle, Rear, Meritor, 23K Rating, International HV 4x4				
13 0537375 Unit of Measure, US Gallons 14 0000005 Bid Bond, 10% 15 0582697 Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100% 16 0000007 Approval Drawing 17 0589819 Electrical Diagrams, Commercial 18 0772281 International HV, 4x4, Single Rear Axle 19 0762131 Model Year 2020 10 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 11 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 12 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded 13 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203" 14 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# 15 0027644 Frame, Chassis, International HV 4x4, "C" Channel 16 0686546 Frame Reinforcement, International HV 4x4 Suspension, Front Spring, 12,000 lb, Commercial 17 0688779 Axle, Front, 12K Rating, International HV 4x4 18 0773475 Suspension, Front Spring, 12,000 lb, Commercial 18 07685779 Goodyear Tires 19 0073051 Shock Absorbers, Front 19 0782184 Wheel, Steel, 22.50", 4x4 19 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	40.000004			
14 000005         Bid Bond, 10%           15 0582697         Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond				
Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100%				
Percentage, Contract - 100%				
16 000007 Approval Drawing 17 0589819 Electrical Diagrams, Commercial 18 0772281 International HV, 4x4, Single Rear Axle 19 0762131 Model Year 2020 20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded 22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded 23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203" 24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000# 25 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 27 0688779 Axle, Front, 12K Rating, International HV 4x4 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 40 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	15 0582697			1
17 0589819   Electrical Diagrams, Commercial   18 0772281   International HV, 4x4, Single Rear Axle   19 0762131   Model Year 2020   12 0 0772099   Base Price, International HV, 4x4, Pricing Level 6/01/2018   17 0523786   Angle of Approach   Fill in Blank - 28   Condition of Truck - Loaded   22 0523787   Angle of Departure   1	40.0000007			
18 0772281       International HV, 4x4, Single Rear Axle         19 0762131       Model Year 2020         20 0772099       Base Price, International HV, 4x4, Pricing Level 6/01/2018         21 0523786       Angle of Approach         Fill in Blank - 28       Condition of Truck - Loaded         22 0523787       Angle of Departure         Fill in Blank - 25       Condition of Truck - Loaded         23 0686544       Wheelbase, 181" thru 205", International HV 4x4         Wheelbase - 203"         24 0584367       GVW Rating, Commercial Chassis         GVW rating - 35,000#         25 0027644       Frame, Chassis, International         26 0686546       Frame Reinforcement, International HV 4x4, "C" Channel         27 0688779       Axle, Front, 12K Rating, International HV 4x4         28 0773475       Suspension, Front Spring, 12,000 lb, Commercial         29 0073051       Shock Absorbers, Front         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial         31 0585779       Goodyear Tires         32 0772242       Tires, 22.50, Traction Tread, 4x4         33 0683147       Wheel, Steel, 22.50", 4x4         44 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4				
19 0762131 Model Year 2020 20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded  22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203" 24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  25 0027644 Frame, Chassis, International HV 4x4, "C" Channel 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 27 0688779 Axle, Front, 12K Rating, International HV 4x4 B 0773475 Suspension, Front Spring, 12,000 lb, Commercial 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 Axle, Rear, Meritor, 23K Rating, International HV 4x4			-	-
20 0772099 Base Price, International HV, 4x4, Pricing Level 6/01/2018 21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded  22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203"  24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  25 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 27 0688779 Axle, Front, 12K Rating, International HV 4x4 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50", Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4				-
21 0523786 Angle of Approach Fill in Blank - 28 Condition of Truck - Loaded  22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203"  24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  25 0027644 Frame, Chassis, International Co686546 Frame Reinforcement, International HV 4x4, "C" Channel Co688779 Axle, Front, 12K Rating, International HV 4x4 Support Support Spring, 12,000 lb, Commercial Co789186 Brakes, Cam Front, 16.50"x 5.00" Commercial Co772242 Tires, 22.50, Traction Tread, 4x4 Co772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4				-
Fill in Blank - 28 Condition of Truck - Loaded  22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203"  24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  25 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 17 0688779 Axle, Front, 12K Rating, International HV 4x4 18 0773475 Suspension, Front Spring, 12,000 lb, Commercial 19 0073051 Shock Absorbers, Front 10 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 11 0585779 Goodyear Tires 12 0772242 Tires, 22.50, Traction Tread, 4x4 13 0683147 Wheel, Steel, 22.50", 4x4 14 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4			<del>-</del>	-
Condition of Truck - Loaded  Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203"  4 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  Frame, Chassis, International HV 4x4, "C" Channel Frame Reinforcement, International HV 4x4, "C" Channel Axle, Front, 12K Rating, International HV 4x4 Su773475 Suspension, Front Spring, 12,000 lb, Commercial Shock Absorbers, Front Shock Absorbers, Front Goodyear Tires Goodyear Tires Tires, 22.50, Traction Tread, 4x4 Wheel, Steel, 22.50", 4x4 Axle, Rear, Meritor, 23K Rating, International HV 4x4	21 0523786			1
22 0523787 Angle of Departure Fill in Blank - 25 Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4 Wheelbase - 203"  24 0584367 GVW Rating, Commercial Chassis GVW rating - 35,000#  25 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 27 0688779 Axle, Front, 12K Rating, International HV 4x4 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 29 0073051 Shock Absorbers, Front 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 40 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4				
Fill in Blank - 25	22 0523787			1
Condition of Truck - Loaded  23 0686544 Wheelbase, 181" thru 205", International HV 4x4	22 0020101			
23 0686544 Wheelbase, 181" thru 205", International HV 4x4				
Wheelbase - 203"         24 0584367       GVW Rating, Commercial Chassis       1         GVW rating - 35,000#         25 0027644       Frame, Chassis, International       1         26 0686546       Frame Reinforcement, International HV 4x4, "C" Channel       1         27 0688779       Axle, Front, 12K Rating, International HV 4x4       1         28 0773475       Suspension, Front Spring, 12,000 lb, Commercial       1         29 0073051       Shock Absorbers, Front       1         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	23 0686544			1
24 0584367       GVW Rating, Commercial Chassis       1         GVW rating - 35,000#       1         25 0027644       Frame, Chassis, International       1         26 0686546       Frame Reinforcement, International HV 4x4, "C" Channel       1         27 0688779       Axle, Front, 12K Rating, International HV 4x4       1         28 0773475       Suspension, Front Spring, 12,000 lb, Commercial       1         29 0073051       Shock Absorbers, Front       1         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1				
GVW rating - 35,000#  25 0027644 Frame, Chassis, International 26 0686546 Frame Reinforcement, International HV 4x4, "C" Channel 27 0688779 Axle, Front, 12K Rating, International HV 4x4 28 0773475 Suspension, Front Spring, 12,000 lb, Commercial 29 0073051 Shock Absorbers, Front 30 0789186 Brakes, Cam Front, 16.50"x 5.00" Commercial 31 0585779 Goodyear Tires 32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	24 0584367			1
25 0027644       Frame, Chassis, International       1         26 0686546       Frame Reinforcement, International HV 4x4, "C" Channel       1         27 0688779       Axle, Front, 12K Rating, International HV 4x4       1         28 0773475       Suspension, Front Spring, 12,000 lb, Commercial       1         29 0073051       Shock Absorbers, Front       1         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1			-	
27 0688779       Axle, Front, 12K Rating, International HV 4x4       1         28 0773475       Suspension, Front Spring, 12,000 lb, Commercial       1         29 0073051       Shock Absorbers, Front       1         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	25 0027644			1
28 0773475       Suspension, Front Spring, 12,000 lb, Commercial         29 0073051       Shock Absorbers, Front         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial         31 0585779       Goodyear Tires         32 0772242       Tires, 22.50, Traction Tread, 4x4         33 0683147       Wheel, Steel, 22.50", 4x4         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4	26 0686546		Frame Reinforcement, International HV 4x4, "C" Channel	1
29 0073051       Shock Absorbers, Front       1         30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	27 0688779		Axle, Front, 12K Rating, International HV 4x4	1
30 0789186       Brakes, Cam Front, 16.50"x 5.00" Commercial       1         31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	28 0773475		Suspension, Front Spring, 12,000 lb, Commercial	1
31 0585779       Goodyear Tires       1         32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	29 0073051		Shock Absorbers, Front	1
32 0772242       Tires, 22.50, Traction Tread, 4x4       1         33 0683147       Wheel, Steel, 22.50", 4x4       1         34 0772127       Axle, Rear, Meritor, 23K Rating, International HV 4x4       1	30 0789186		Brakes, Cam Front, 16.50"x 5.00" Commercial	1
32 0772242 Tires, 22.50, Traction Tread, 4x4 33 0683147 Wheel, Steel, 22.50", 4x4 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4				,
33 0683147 Wheel, Steel, 22.50", 4x4 34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	32 0772242		•	,
34 0772127 Axle, Rear, Meritor, 23K Rating, International HV 4x4	33 0683147			1
·	34 0772127			1
	40/40/0040 7.45 51	N 4		P

Line	Option	Туре	Option Description	Qty
35	0772020		S-Cam Style 16.50" x 7.00"	1
36	0602005		Top Speed of Vehicle, Non-NFPA 2016 Compliant, Commercial Chassis	1
			Top Speed of Vehicle - 75 to 77	
37	0062960		Suspension, Rear Spring, 23,500 lb w/4500 lb Rubber Aux. IHC	1
38	0772235		Tires, Rear, 22.50, Traction Tread, 4x4	1
39	0683146		Wheel, Steel, 22.50", 4x4	1
40	0620570		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle	1
			Qty, Tire Pressure Ind - 6	
41	0012045		Mud flaps, w/Logo Rear	1
42	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
43	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Rearward and Right Side	
			Rear Tire, Rearward	
	0020881		ABS, Anti-Lock Braking System, Commercial	1
	0009547		Air Compressor, Brake, 18.7 CFM, Commercial	1
	0773985		Air Dryer, Brake, w/Heater, Commercial	1
47	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - a) DS Step Well, Forward	
40	0770000		Qty, Air Coupling (s) - 1	
	0772268		Engine, Cummins L9, 380 hp, IHC HV	1
	0001247		High Idle w/Electronic Engine, Commercial	1
	0773963		Auxiliary Brake, Exhaust Brake , VGT Style, Commercial	1
	0773981		Air Intake, Engine, w/Ember Separator, OEM Installed, Commercial	1
52	0747960		Exhaust, Horiz, RH Step Mtd DPF/SCR, w/Modification Next to Transfer Case, 4x4 IHC	1
53	0684987		Exhaust Modifications, Commercial Chassis, Horizontal Exhaust	1
	0071090		Coolant Hoses, Rubber - Commercial Chassis	1
	0773634		Fuel Tank, 70 Gallon, Left Side, Aluminum, Commercial	1
	0773952		DEF Tank, Left Side Location, Commercial	1
	0552793		Not Required, Fuel Priming Pump	1
	0552733		Not Required, Shutoff Valve, Fuel Line	1
	0696186		Cooler, Chassis Fuel, Commercial, Provided by Chassis OEM	1
	0773950		Trans, Automatic, Allison 3000 EVS, w/(2) PTO Provsions, Commercial	1
	0771219		Transmission, Stalk Shifter, Column Mounted, 5 Speed, International	1
	0011475		Transmission Oil Cooler, Internal, Commercial	1
	0011473		Driveline, Commercial Chassis	1
	0553777	SP	Driveline Reviewed & Approved	1
	0692499	OI	Steering, Power, w/Tilt Column, Commercial Chassis	1
	0692801		Bumper Extension, 19", Steel Painted, Chicago Style, Commercial Chassis	1
	0630841		Tray, (1) Hose Left Side of Bumper, 13" Deep	1
07	0030041			'
			Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - 19) 100' of 1.75"	
68	0633467		Hose Restraint, Bumper Tray, Velcro Straps, Pair	1
00	0000107		Qty, Pair - 01	
69	0620614		Tray, (1) Hose Right Side of Bumper, 13" Deep	1
	00_00		Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 19) 100' of 1.75"	
70	0633453		Hose Restraint, Bumper Tray, Velcro Straps, Pair	1
			Qty, Pair - 01	
71	0002270		Tow Hooks, Chrome	1
72	0772084		Standard Hood, SFA, International	1
	0772166		Cab, 4-door Crew Cab, International HV	1
74	0024223		Cab Interior, IHC, Gray	1
	0582768		Grille, Chromed Plastic, Stationary, International	1
	0762934		Mirrors, Bright Finish Heads, Power Adjust, Heated, International MV/HV	1
	0760744		Steps as Provided by MFG, 2-Door, 4-Door, or Ext'd Cab, Comply w/NFPA 2016	1
	0509494		Lights, Cab and Crew Cab Access Steps, P25, LED, 8Lts	1
	0773943		Air Conditioning, Commercial	1
	0005940		Lights, Engine Compt, (2) Commercial Chassis	1
	0756949		Console, IHC MV/HV Four (4) Door, Radio/Siren/Switches/Storage	1

83 0	0624106	Seating Capacity, Cab, 4-Door, Commercial	4
		3 1 3, , ,	4
		Qty, - 04	
	0762937	Seats, Cab, Air driver w/Air officer - International MV/HV	1
	0691848	Seats, 2-man, National, Air Ride, Non-SCBA - International M	
	0065834	Bracket, SCBA Not Req'd, No SCBA Seats, Commr Cab	1
	0551164	Seat Belt Web Length, Commercial Chassis	1
	0584364	Seat Belts, Red, Commercial Chassis	1
	0602464	Helmet Storage, Provided by Fire Department, NFPA 2016	1
89 C	0556289	Lights, Dome, Weldon, 8081-8000-13 Red/Clear LED, Grey E	Bezel 4
		Qty, - 04	
		Location - one (1) in ceiling, inboard of drivers seat inboard of officers seat, one (1) in ceiling above drivers si one (1) in ceiling above passenger side crew cab seat	
90 0	0602637	Portable Hand Light, Provided by Fire Dept, Pumper NFPA 20	016 Classification 1
91 0	0584358	Cab Instrumentation, Commercial Chassis	1
92 (	0034643	Panel, Emergency Switch, Located In Floor Mt'd Console	1
	0005937	Light, Do Not Move Apparatus, Commercial Chassis	1
		Alarm, Do Not Move Truck - Pulsating Alarm	
94 (	0005926	Light, Open Door - Commercial Std	1
95 (	0072620	Wiper control, intermittent feature Commercial	1
96 0	0585914	Wiring, Spare, 20 A 12V DC, 6 Circuit Fuse Block, Blue Sea 5	5025 1st 1
		Qty, - 01	
		12vdc power from - Battery direct	
		Location - Inside of the center console, locate at pic	
97 0	0797189	Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 104	!5 1st 2
		Qty, - 02	
		12vdc power from - Battery direct	
		Location - 1 center console, 1 rear console	
98 0	0686687	Wiring, Spare, 37.5 A 12V DC, Customer Install Radio, 30A S	Sw Bat, 7.5A Ign Grnd 1
		Qty, - 01	
00.6	0540004	Location - in center console coiled.	3
99 (	0548004	Wiring, Spare, 15 A 12V DC 1st	2
		Qty, - 02	
		12vdc power from - Battery direct Wire termination - 15 amp power point plug	
		Location, Spare Wiring - one center console, one o	n the rear of the
		center console, one each by the usb	Trail roar or tho
100 0	0637219	NO RADIO, AM/FM	1
101 (	0622928	Not Available, Vehicle Information Center, Multiplex System,	Commercial Chassis 1
102 (	0611591	Vehicle Data Recorder w/Seat Belt Monitor, Commercial	1
		VDR Primary Inputs - No Primary Input	
		VDR Additional Input - No Additional Input	
103 0	0696434	Antenna Mount, Commercial Chassis, Cable Routed to Conse	ole 1
		Qty, - 01	
	0760716	Electrical System, International Chassis	1
105 0	0770584	Electrical System, International HV	1
	0762337	Single Start, (3) Grp 31, 660 CCA each, Ext/Crew Cab, Intern	national 1
107 0	0583981	Battery Relocation Not Required	1
108 0	0072685	Selector, Single Start Battery, Commercial Chassis	1
109 0	0579436	Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40	Amp Bar Display 1
110 0	0012782	Location, Charger, Front Left Side Body Compartment	1
		Location, Battery Chrgr/Cmpr - High On Left Wall	
	0567881	Location, Bat Chrg Ind, Driver's Seat Riser, Comm Chassis	1
112 0	0016856	Shoreline, 15A 120V, Kussmaul Auto Eject, 091-55-15-120, S	Super 1
		Qty, - 01	
		Color, Kussmaul Cover - b) red	
		Connection, Shoreline - Battery charger	
113 0	0785088	Shoreline Location, Commercial Chassis/PMFD	1
	=	Location, Shoreline(s) - DS Pump Panel	
	0607607	Alternator, 325 amp Leece-Neville, International	1
	0692675	Load Manager, Kussmaul 2 Channel, Commercial	1
116 (	0762588	Cab Lighting, LED Clearance/Marker/Fender Turn Signals, In Light, Directional/Marker, Intermediate, Weldon 9186-8580-29	
	0620054		9 LED 2lts 1

Line	Option	Туре	Option Description	Qty
118	0563675		Lights, Clearance/Marker/ID, Rear, Truck-Lite 33050R LED 7Lts	1
119	0564683		Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg	1
			Color, Lens - Colored	
120	0561471		Lights, Backup, WIn M6BUW, LED, For Tail Lt Housing	1
121	0664481		Bracket, License Plate & Light, P25 LED	1
122	0556842		Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights	1
123	0067153		Alarm, Back-up Warning, Preco Model LDA50	1
124	0769569		Lights, Perimeter Cab, Amdor AY-LB-12HW012 LED 4Dr	1
			Z location -	
125	0769572		Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 2lts	1
126	0768520		Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step, Comm	1
			Chassis	
			Control, Perimeter Lts - Parking Brake Applied	
	0556360		Lights, Step, P25 LED 4lts, Pump Pnl Sw	1
128	0640941		Light, Wln, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 2nd	1
			Location, Lights - forward on PS hatch compartment	
			Qty, - 01	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - DS Pump Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
120	0640991		Color, WIn Lt Housing - Chrome Flange Light, WIn, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 1st	1
129	0040991			1
			Location, Lights - forward on DS hatch compartment	
			Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 1 DC,1 - a) DS Switch 1 and Switch, Lt Control 2 DC,2 - DS Pump Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Color, WIn Lt Housing - Chrome Flange	
130	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
131	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
132	0645694		Lights, Rear Scene, Wln, 9SC0ENZR LED	2
			Location, Lights - one (1) on the drivers side and one (1) on the	
			passenger side rear body bulkhead; as high as possible	
			Qty, - 02	
			Control, Rear Scene Lts - Cab Switch Panel DS and Body Switch, DS	
			Rear Bulkhead	_
133	0768474		Lights, Hose Bed, Below Aluminum Cover, Amdor AY-LB-12HW040, 40" LED 4lts	1
404	0704004		Control, Hose Bed Lts - Auto Cover Sw	
	0794961		Lights, Walk Surf, P25 LED, Hose Bed Cover, Overall Height Restrictions	1
	0693708		Pumper, Short, Aluminum, 2nd Gen, Saber/Commercial	1
	0682210		No Value Discount Available	1
	0554271		Body Skirt Height, 20"	1
	0785098	SP	Tank, Water, 500 Gallon, Poly, Extra Short, Ext'd to Rear	1
	0003405		Overflow, 4.00" Water Tank, Poly	1
140	0028107		Not Required, Foam Cell Modification	1
141	0034425		Modified Poly Tank for Folding Tank, Ladder Storage or Backboards	1
			Qty, - 1	
	0084432		Modified Poly Tank, Ext'd Over Rear Compt	1
143	0633066		Sleeve, Through Tank	1
			Qty, Sleeve - 1	
			Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
	0553725		Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export	1
	0003429		Not Required, Direct Tank Fill	1
	0003424		Not Required, Dump Valve	1
	0048710		Not Required, Jet Assist	1
148	0030007		Not Required, Dump Valve Chute	1
149	0514778		Not Required, Switch, Tank Dump Master	1
	0689065		Hose Bed, Aluminum, Saber/Commercial	1
151	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - Left to right 200' 3.0" DJ, 500' 4"LDH, 500' of 3" DJ,	
			<del>-</del>	

Line Option	Туре	Option Description	Qty
152 0689090		Divider, Hose Bed, .25" Unpainted, w/Handhold	2
153 0589278		Qty, Hosebed Dividers - 2 Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear	1
		Type of fastener - seat belt buckle Nylon Web Color - Black	
154 0013512		Type of fastener, Rear - seat belt buckle - bottom of hosebed Running Boards, 12.75" Deep	1
155 0689496		Tailboard, 12" Deep, Full Width, Extended Substructure, Angled Corners	1
156 0690027		Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall	1
157 0003547		Tow Bars, (2) w/Hitch Receiver	1
158 0003561		Connection, Trailer/12V Electrical - Trailer Hydraulic Brakes Construction, Compt, Alum, Pumper	1
159 0608961		LS 118" Lap, Full Height Rear, FDLER, Raised Rear 6"	1
160 0608957		RS 118" Lap, Full Height Rear, FDLER, Raised Rear 6"	1
161 0063911		Doors, Lap w/ "D" Handles - Side Compartments	1
162 0565805		Compt, Flush Rear, Rollup, 44.50" FF, 25.88" D	1
163 0692746		Door, Gortite, Rollup, Rear Compartment	1
		Color, Roll-up Door, Gortite - Satin finish	
404 0555440		Latch, Roll-up Door, Gortite - Non-Locking Liftbar	0
164 0555146		Pull Strap, Body Doors, Each	2
		Qty, Door Accessory - 02 Location, Door Accessory - OVER REAR WHEELS	
165 0010414		Keyed Locks for Latches, Lap Doors, Key Style 1250	7
		Qty, Door Accessory - 07	
		Location, Door Accessory - all body and under chassis doors	
166 0004010		Scuffplate, Polished S/S Bottom of Door Frame	4
		Location, Door Accessory - all lap doors	
167 0004012		Qty, Scuffplates - 04 Scuffplate, S/S, Inside Each Compt Door	4
		Qty, Door Accessory - 04	•
		Location, Door Accessory - all lap doors	
168 0659353		Lights, Compt, Amdor AY-9220 LED, Dual Light Strip	6
169 0659222		Qty, - 06 Lights, Hatch Compt, Amdor AY-9220-48, LED, Light Strips, IPOS, Each	1
109 0039222		Location, Lights - on the PS hatch compartment access door, top.	'
		Qty, - 01	
170 0792130		Raised Cargo Side Sheets w/Ext. over X-lays & X-lay Cut-Out	1
474 0007440		Fill in Blank - TBD	_
171 0687146		Shelf Tracks, Painted	5
		Qty, Shelf Track - 05 Location, Shelf Track - LS1, LS2, RS1, RS2 and B1	
172 0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	6
		Qty, Shelf - 06	
		Material Finish, Shelf - Painted - Spatter Gray	
		Location, Shelves/Trays, Predefined - LS1-Transition Point, RS1-	
		Transition Point, RS1-Upper Third, LS2-Centered, B1-Centered and LS1-Upper Third	
173 0647472		Tray, Floor Mounted, Slide-Out, w/ Side Slides, FW/FD, 500lb, 2.00" Sides, 2G	1
		Qty, - 01	
		location - LS 1	
174 0024016		Material - Painted - Spatter Gray Rub Rail, Aluminum Extruded, Side & Rear of Body	1
175 0784811		Fender Crowns, Rear, Stainless, w/Removable Liner	1
170 0701011		Material Finish, Fender Liner - Painted	•
176 0602347		Hose, Hard Suction, Provided by Fire Department, Pumper NFPA 2016	2
		Classification	
		Qty, Hard Suction Hose - 2	
		Length, Hard Suction Hose - 09 Diameter, Hard Suction Hose - 4.00"	
		Type of Hose Ends, Coupling, HSH - Long Handle	
177 0035450		Troughs, H.S.H., (1) Each Side, Alum	1
178 0626229		Handrails, Side Pump Panels, Per Print	1
179 0025450		Handrails, Rear Bulkhead	1
180 0617842		Handrail, Rear, Below Hose Bed, Underside Handrail Mounting	Pa

Line Option	Type	Option Description	Qty
181 0622393		Compt, Air Pack in Fender Panel	2
		Location, Bracket/comp Drivers & passenger side front of axle	
		Qty, - 02	
		Door Finish, Fender Compt - Painted	
		Latch, Air Bottle Compt - Southco C2 Chrome Raised Locking	
100 0055546		Insert, Air Bottle Compt - Rubber Matting	2
182 0655546		Compt, Air Bottle, Triple, Fender Panel, Commercial Chassis	2
		Qty, Air Bottle Comp - 2	
		Door Finish, Fender Compt - Painted Location, Fender Compt - Triple - LS Rear and Triple - RS Rear	
		Latch, Air Bottle Compt - Southco C2 Chrome Raised Locking	
		Insert, Air Bottle Compt - Countries O2 Chilome Naised Locking	
183 0084259		Ladder, 20' Duo-Safety 912A 3-Sect, 100" closed length	1
184 0750419	SP	Ladder, 10' Duo-Safety 775-DR, Roof, (Special Requirements)	1
185 0004294		Rack, Ladders in Hose Bed, Vertical	1
		Location - right side	
186 0750417	SP	Ladder, 10' Duo-Safety Folding 585A, w/Mounting, (Special Requirements)	1
		Location, Folding Ladder - Ship Loose	
187 0547754		Not Required, Pike, Pole, 8'	1
188 0549137		Not Required, Pike Pole, 6'	1
189 0545167		Trough for D-Handled Pike Pole	1
		Location - in the ladder compartment	
		Qty, Pike Pole Tubes - 01	
190 0004361		Tubes, Alum, Pike Pole Storage	2
		Qty, Pike Pole Tubes - 02	
		Location, Pike Pole Tube - Ladder Storage	
191 0785102		Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident	1
		Coating, Step - black	
		Location, Steps - Full Height Left Side w/LED Light	
192 0592994		Steps, Folding, Rear of Body, w/LED, Trident	1
		Coating, Step - black	
193 0553731		Step Package, Body, w/4x4 Chassis, Saber/Commercial	1
104 0044400		Pump Panel Config - Side Control	
194 0041102		Pump, Waterous, CLVK, 500 GPM, Pumper, Non-NFPA Compliant1901	1
195 0084489		Seal, Mechanical, Waterous, PTO	1
196 0034477		Trans, Pump, Waterous, "K" Series	1
197 0603731		Pumping Mode, Stationary and Pump in Motion	1
198 0535276		Pump Shift, PTO Pump	1
199 0581602		Transmission Lock-up, Not Req'd, PTO Pump	1
200 0004547		Auxiliary Cooling System	1
201 0014486		Not Required, Transfer Valve, Stage Pump	1
202 0746501		Valve(s), Relief Intake, Elkhart	1
		Qty - 1	
203 0704050		Pressure Setting - 125 psig	4
203 0794959		Controller, Pressure, Pierce, Pump Boss, PBA300	1
204 0072153		Primer, Trident, Air Prime, Air Operated	1
205 0044552		Line, 0.50" Recirculating w/Check Valve	1
206 0780364		Manuals, Pump, (2) Total, Electronic Copies Plumbing, Stainless Steel and Hose, Single Stage Pump	1
207 0603129		· · · · · · · · · · · · · · · · · · ·	1
208 0089437		Plumbing Without Foam System	1
209 0018518		Inlet, 4.00", Left Side Only,350-700 GPM Pump	1
210 0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
211 0084610		Valves, Akron 8000 series- All	1
212 0004660		Inlet, Left Side, 2.50"	1
213 0029147		Not Required, Inlet, Right Side	1
214 0004685		Valve, Inlet(s) - Outside Panel	1
215 0004700		Control, Inlet, at Valve	1
216 0092569		No Rear Inlet (Large Dia) Requested	1
217 0092696		Not Required, Cap, Rear Inlet	1
218 0064116		No Rear Inlet Actuation Required	1
219 0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
220 0092568		No Rear Auxiliary Inlet Requested	1

Line Option	Туре	Option Description	Qty
221 0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
222 0084756		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PTO Pump	1
223 0004905		Outlet, Tank Fill, 1.50"	1
224 0004940		Outlet, Left Side, 2.50"	2
		Qty, Discharges - 02	
225 0092570		Not Required, Outlets, Left Side Additional	1
226 0024945		Not Required, Outlet, Right Side	1
227 0092571		Not Required, Outlets, Right Side Additional	1
228 0029137		Not Required, Outlet, Large Diameter	1
229 0648908		Outlet, Front, 2", For Turret, Valve at Pump Panel	1
		Location, Outlet - d) center	
		Drain, Front Outlet - Automatic	
230 0650333		Turret, Front Bumper, TFT RC Tornado, 2" Outlet	1
		Nozzle, Front Bumper Turret - TFT B-TOS-ERP	
		Control, Front Bumper Turret - TFT Y4E-JS-52 joystick	
231 0092575		Not Required, Outlet, Rear	1
232 0092574		Not Required, Outlet, Rear, Additional	1
233 0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
234 0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
235 0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
236 0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
237 0035094		Not Required, Elbow, Left Side Outlets, Additional	1
238 0085092		Not Required, Elbow, Right Side Outlets, 2.50"	1
239 0089584		Not Required, Elbow, Right Side Outlets, Additional	1
240 0045099		Not Required, Elbow, Rear Outlets	1
241 0085695		Not Required, Elbow, Rear Outlets, Large, Additional	1
242 0007308		Not Required, Elbow, Large Diameter Outlet	1
243 0062133		Control, Outlets, Manual, Pierce HW if applicable	1
244 0029106		Not Required, Deluge Outlet	1
245 0029302		No Monitor Requested	1
246 0029304		No Nozzle Req'd	1
247 0029304		No Deluge Mount	1
			2
248 0029167		Crosslays Sngl Sheet Unpainted, (2+) 1.50", Std. Cap	2
249 0029196		Qty, Crosslays - 2 Not Required, 2.50" Crosslay	1
250 0591145		Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting	2
250 0591145			2
251 0029260		Qty, - 02 Not Required, Speedlays	1
252 0750536		Hose Restr, Spdly, Not Required, No Spdly	1
253 0005248		Reel, Booster - Rear Compt., Steel, Roll-up Door	1
255 0005240		· · · · · · · · · · · · · · · · · · ·	ı
254 0005279		Finish, Reel - Painted Gray Switch, Reel Rewind - One at Reel	1
255 0005300		Hose, Booster - 150' of 1.00"/800 PSI	1
256 0005244		Capacity, Hose Reel 200' of 1"	1
257 0007428		Nozzle for Booster Reel Not Req'd	1
258 0044333		Not Required, Foam System	1
259 0012126		Not Required, CAF Compressor	1
			1
260 0552517		Not Required, Refill, Foam Tank	1
261 0042573		Not Required, Foam System Demonstration	
262 0045465		Not Required, Foam Tanks	1
263 0091110		Not Required, Foam Tank Drain	1
264 0091079		Not Required, Foam Tank #2	1
265 0091112	65	Not Required, Foam Tank #2 Drain	1
266 0614588	SP	Pump House, Side Control, 34" (SPECIAL PUMPS), PMFD	1
267 0035570		Pump Panel Configuration, No Match Required	1
268 0635355		Material, Pump Panels, Side Control Painted FormCoat Black	1
		Material Finish, Pump Panel, Side Control - Painted FormCoat Black	
000 000====		Material, Pump Panel, Side Control - Aluminum	
269 0005578		Panel, Pump Access - Right Side Only	1
270 0035501		Pump House Structure, Std Height	1
271 0785639		No Chassis Equipment/Pump House/Body Interference Identified,4Dr/2Dr Extd Cab	1

	Option	Туре	Option Description	Qty
272	0583824		Light, Pump Compt, Wln 3SC0CDCR LED White	1
			Qty, - 01	
	0586382		Gauges, Engine, Included With Pressure Controller	1
	0005601		Throttle Included w/ Pressure Controller	1
	0549333		Indicators, Engine, Included with Pressure Controller	1
	0745568		Indicator Light, Pump Panel, Ok To Pump, Green	1
	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
	0062658 0006774		Gauge, Water Level, Class 1, Master w/Mini Slave	1
	0593161		Not Required, Foam Level Gauge Light Shield, S/S LED	1
	0522730		Light, Over Passenger Side Pump Panel, P25 LED Stp Lt	1 1
202	0322730		Qty, - 1	
283	0508020		Air Horn, (1) Hadley, 6" Round, In Bumper	1
	0606840		Location, Air Horn, Bumper, Left Side, Inside Frame (Pos #5)	1
	0092148		Control, Air Horn, Horn Ring, Push Button, Location Feature	1
			location - PS dash	
286	0006133		Siren, Code 3 3692 100W or 200W	1
287	0046133		No Siren Location	1
288	0076156		Control, Elec Siren, Head Only	1
289	0601375		Speaker, (1) Code 3, PB100C, Chrome	1
			Connection, Speaker - siren head	
290	0601560		Location, Speaker, Frt Bumper, Recessed, Right Side, Inside Frame (Pos 3)	1
291	0606721		Lightbar, Wln, Freedom IV-V, 60", R_RRRRRR_R	1
292	0695922		Filter, WhI Freedom Ltbrs - No Filters Lights, Front Zone, Wln M6** LED, Lens Choice, Commercial	1
			Flange Kit - w)with flange Color, Lens, LED's - c)clear	
			Color, Lt DS Front - Red	
			Color, Lt PS Front - Red	
293	0640906		Flasher, Headlight Alternating, Commercial Chassis	1
294	0540679		Headlt flash deactivation - a)w/high beam Lights, Side Zone Lower, Wln M6*C LED, Clear Lens 2pr	1
			Location, Lights Front Side - b)each side bumper	
			Color, Lt Side Front - Red	
			Color, Lt Side Rear - Red	
205	0070070		Location, Lights Rear Side - Over Rear Wheels	0
295	0670079		Lights, Side, Wln WIONSMC* LED, Chrome Flange, 1st	2
			Location, Lights - rear of crew door on flange under cab Qty, - 02	
			Color, Lights, Warning - a) white	
			Control, Light - c) rear lower warning	
296	0564655		Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens, For Tail Lt Housing	1
			Color, Lt DS Rear - r) DS Rear Lt Red	
			Color, Lt PS Rear - r) PS Rear Lt Red	
297	0541116		Lights, Rear/Side Up Zone, Wln M6* LED, Colored Lens 4lts	1
			Color, Lt, Side Rear Upper DS - Side Rear Upper Red	
			Color, Lt, Side Rear Upper PS - Side Rear Upper Red	
			Color, Lt. Rear Upper DS - r) DS Rear Upper Red	
202	0006551		Color, Lt, Rear Upper PS - r) PS Upper Rear Red Not Required, Lights, Rear Upper Zone Blocking	1
	0016610		Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1
	0519934		Not Required, Brand, Hydraulic Tool System	1
	0649753		Not Required, PTO Driven Hydraulic Tool System	1
	0007150		Bag of Nuts and Bolts	1
	,		Qty, Bag Nuts and Bolts - 2	•
303	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire	1
			Department	
	0602407		Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification	1
	0602390		Strainer, Provided by Fire Department, Pumper NFPA 2016 Classification	1
306	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire	1
			Department	

10/10/2019 7:15 PM Bid #: 759 Page 8

Line	Option	Туре	Option Description	Qty
	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire	1
308	0602679		Dept Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
	0607712		Paint Process / Environmental Requirements	1
	0583882		Paint, 90 Red, Commercial Grade Chassis Finish, PMFD Commercial Chassis	1
011	000002		Paint Color, Commercial, Std - #90 Candy Apple Red	•
312	0586561		Chassis Cab Paint, #90 Red, Standard	1
040	0500015		Paint Color, Commercial, Std - #90 Candy Apple Red	
	0583915		No Two-Tone Paint Req'd	1
	0582663		Paint, Chassis Frame Assy, Black, by Commercial Chassis Mfgr	1
	0651188		Paint, Wheels, By Chassis Manufacturer, Single Rear Axle, Commercial	1
	0651164		Wheels, Accent Stripe NOT REQUIRED	1
	0007230		Compartment, Painted, Spatter Gray	1 1
310	0544087		Reflective Band, 6"	ı
310	0547618		Color, Reflect Band - A - a) white Stripe, Diamond Grade, Chevron, Front Bumper	1
313	0347010		• •	'
			Size, Chevron Striping - 06 Color, Chevron DG - Yellow Green, Fluorescent	
320	0536954		Stripe, Chevron, Rear, Diamond Grade, Pumper	1
			Color, Rear Chevron DG - fluorescent yellow green	
321	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
322	0017359		Stripe, Black Outline, Vinyl on Reflective Band	1
222	0065795		Qty, - 01 String Reflective Cab Dra Interior Commercial Cabo 4dr	1
323	0065785		Stripe, Reflective, Cab Drs Interior, Commercial Cabs, 4dr	'
324	0027372		Color, Reflective - e) black Lettering Specifications, (GOLD STAR Process)	1
	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
020	0000420		Outline, Lettering - Outline and Shade	
326	0766245		Manual, Fire Apparatus Parts, USB, Body Parts Only, Commercial Product	1
	0766243		Manual on USB Flash Drive, Service, Commercial	1
	0002902		Manual, Commercial Chassis Operation	1
	0080008		Warranty, Basic, 1 Year, Apparatus, Commercial Chassis, WA0008	1
	0761945		Warranty, Basic Vehicle, 1 yr, International HV (w/Cummins Engine)	1
	0595282		Warranty, Cab Paint, As Provided By Chassis Manufacturer, Commercial	1
332	0708760		Warranty, Not Applicable, LED Strip Lights	1
333	0021516		Warranty, 5-Year EVS Transmission, Standard Comm, WA0187	1
	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
335	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
336	0693127		Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
337	0063510		Warranty, Pump, Waterous, 5 Year Parts, WA0225	1
338	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
339	0641372		Warranty, Foam System, Not Available	1
340	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
341	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
342	0683627		Certification, Vehicle Stability, CD0156	1
343	0544883		Certification, Cab Integrity, IHC, CD0025	1
344	0545073		Amp Draw Report, NFPA Current Edition	1
345	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
346	0000017		FLORIDA DIVISION BODY	1
347	0000015		FLORIDA DIVISION COMMERCIAL CHASSIS	1
348	0004713		ENGINE, OTHER	1
349	0046395		EVS 3000 Series TRANSMISSION	1
350	0020011		WATEROUS PUMP	1
351	0020009		POLY TANK	1
352	0028047		NO FOAM SYSTEM	1
353	0020006		SIDE CONTROL	1
354	0020007		AKRON VALVES	1
	0020909		ABS SYSTEMS, Commercial	1
356	0658751		PUMPER BASE	1