



City of Missoula, Montana
Item to be Referred to City Council Committee

Committee: Parks and Conservation

Item: Splash Montana 50m Pool Liner Replacement

Date: February 28, 2022

Sponsor(s): Eric Seagrave

Prepared by: Eric Seagrave

Ward(s) Affected:

<input type="checkbox"/> Ward 1	<input checked="" type="checkbox"/> Ward 4
<input type="checkbox"/> Ward 2	<input type="checkbox"/> Ward 5
<input type="checkbox"/> Ward 3	<input type="checkbox"/> Ward 6
<input type="checkbox"/> All Wards	<input type="checkbox"/> N/A

Action Required:

Approve and Authorize the Mayor to sign Contract with Aquatic Renovations Systems, Inc. (RenoSys) for replacement of the Splash Montana 50m Pool Liner

Recommended Motion(s):

I move the City Council: Approve and Authorize the Mayor to sign Contract in the amount of \$237,920.00 with Aquatic Renovations Systems, Inc. (RenoSys) for replacement of the Splash Montana 50m Pool Liner

Timeline:

Referral to committee:	March 7, 2022
Committee discussion:	March 9, 2022
Council action (or sets hearing):	March 14, 2022
Public Hearing (if required):	Click or tap here to enter text.
Deadline:	Click or tap here to enter text.

Background and Alternatives Explored:

Swimming pool liners have a life expectancy of about 12 years. This information was known at the time the City installed the pool. The 50m pool liner at Splash is now 14 years old and is tearing and no longer waterproof. We have applied patches for the last two years and now have reached a time where we need to replace. This contract includes the replacement and updating of the plastic perimeter gutter covers and lane line anchors. We have sought proposals per City procurement policy. We received two bids and have chosen the qualifying low bid.

Financial Implications:

This amount is budgeted in the FY2022 Aquatics Capital Improvement fund, for the total of \$250,000.00.

Links to external websites: